

## V. OPINION

Hydrogen peroxide is GRAS when used as a bleaching agent in foods and in cotton and cotton fabrics for dry food packaging. It is considered GRAS by the Department of the Treasury in the treatment of wines. It is used as an antimicrobial agent in cheese manufacturing under standards of identity and also in whey processing.

Consumer exposure data indicate only 8 mg per capita per day are used by food manufacturers and much of this would be destroyed or dissipated during processing. Toxic effects in animals by all routes studied occurred only at levels several orders of magnitude greater than man's possible exposure from food sources or packaging materials. There is no evidence that hydrogen peroxide is carcinogenic, teratogenic, or mutagenic at levels present in foods treated with hydrogen peroxide during processing.

Vigorous treatment of foods with hydrogen peroxide may cause some destruction of ascorbic acid, methionine, and cystine. Under the conditions normally employed, the Select Committee believes their loss to be nutritionally insignificant.

Various oxidation products of normal food constituents are formed by the action of hydrogen peroxide. It is possible that such products might include epoxides or peroxides of unsaturated fatty acids and sterols, some of which are suspected of being carcinogenic or atherogenic under specialized conditions. However, none of the oxidation products thus far tested has proved carcinogenic when given by mouth, even at levels many times greater than any reasonable intake in food. Angiotoxicity has been produced only with amounts of sterol oxidation products several orders of magnitude greater than would be produced under conditions currently practiced. There is no evidence that such products are, in fact, produced under current conditions of hydrogen peroxide usage. Because of the vulnerability of epoxides and peroxides to gastrointestinal action, only a small fraction of the amount ingested would be absorbed and this in turn would be subjected to hydrolysis by liver enzymes.

Although there is no evidence that the present usage of hydrogen peroxide in foods poses a hazard to consumers, insufficient data are available to ensure a lack of hazard with all foods or when more rigorous treatments are employed, using higher concentrations, prolonged exposures, or elevated temperatures.

In the light of the foregoing considerations, the Select Committee concludes that:

There is no evidence in the available information on hydrogen peroxide that demonstrates or suggests reasonable grounds to suspect a hazard to the public when it is used at levels that are now current and in the manner now practiced. However, it is not possible to determine, without additional data, whether a significant increase in consumption would constitute a dietary hazard.

There is no evidence in the available information on hydrogen peroxide that demonstrates or suggests reasonable grounds to suspect a hazard to the public when it is used in cotton and cotton fabrics for dry food packaging at levels that are now current or might reasonably be expected in the future.

## VI. REFERENCES CITED

1. Informatics, Inc. 1974. Monograph on hydrogen peroxide. Submitted under DHEW contract no. FDA 72-104. Rockville, Md. 138 pp.
2. Office of the Federal Register, General Services Administration. 1978. Code of Federal regulations. Title 21. Food and drugs, parts 100 to 199 rev. U.S. Government Printing Office, Washington, D.C.
3. The Merck Index. 1976. Hydrogen peroxide. Page 4688 in M. Windholz, ed. 9th. ed. Merck & Company, Inc., Rahway, N.J.
4. National Research Council. 1972. Hydrogen peroxide. Pages 377-380 in Food chemicals codex. 2nd ed. National Academy of Sciences, Washington, D.C.
5. Letter, dated February 17, 1960, from E.T. Wulfsberg, Food and Drug Administration, Washington, D.C. to D.W. Johnson, Central Soya Company, Inc., Chicago.
6. Office of the Federal Register, General Services Administration. 1977. Code of Federal regulations. Title 27. Alcohol, tobacco products and firearms, parts 0 to 299. U.S. Government Printing Office, Washington, D.C.
7. Office of the Federal Register, General Services Administration. 1978. Code of Federal regulations. Title 9. Animals and animal products. U.S. Government Printing Office, Washington, D.C.
8. Santha, I.M., and N.C. Ganguli. 1976. Myriad uses of hydrogen peroxide in dairy industry. J. Food Sci. Technol. 13:1-5.
9. Cook, D.J. 1962. Hydrogen peroxide as a preserver for whey and separated milk for animal feeding. Dairy Ind. 27:310-312.
10. Lampert, L.M. 1975. Pasteurization procedures: treatment with hydrogen peroxide. Pages 185-187 in Modern dairy products. 3rd ed. Chemical Publishing Company, Inc., New York.
11. Joint FAO/WHO Expert Committee on Food Additives. 1965. Specifications for the identity and purity of food additives and their toxicological evaluation: some antimicrobials, antioxidants, emulsifiers, stabilizers, flour-treatment agents, acids, and bases. 9th report. Food and Agriculture Organization, Rome.

- Letter, dated May 17, 1978, from L. Mansor, Food and Drug Administration, Washington, D.C., to F.R. Senti, Federation of American Societies for Experimental Biology, Bethesda, Md.
- 12.
  13. Committee on GRAS List Survey - Phase III. 1978. 1975 Resurvey of the annual poundage of food chemicals generally recognized as safe (GRAS). Prepared under DHEW contract no. FDA 223-77-2025, Food and Nutrition Board, Division of Biological Sciences, National Research Council. National Academy of Sciences, Washington, D.C. 26 pp.
  14. Gay, B.W., Jr., and J.J. Bufalini. 1972. Hydrogen peroxide in the urban atmosphere. Adv. Chem. Ser. 113:255-263.
  15. Urschel, H.C., Jr. 1967. Cardiovascular effects of hydrogen peroxide: current status. Dis. Chest 51:180-192.
  16. Hauschild, F., R. Ludewig, and H. Muhlberg. 1958. Über die "ätzende" Wirkung von Wasserstoffperoxyd. Arch. Exp. pathol. Pharmacol. 235:51-62. (Translation supplied with reference no. 1).
  17. Ludewig, R. 1959. Zur intraoralen Anwendung von Wasserstoffperoxyd Z. Gesamte Exp. Med. 131:452-465. (Translation supplied with reference no. 1).
  18. Ludewig, R. 1965. Nachweis von 18O in Expirationsluft und Blut während sublingualer Einwirkung 18O-markierten Wasserstoffperoxids. Abh. d. Dtsch. Akad. Wiss. Berlin Kl. Chem. Geol. Biol. 1964:549-552. (Translation supplied with reference no. 1).
  19. White, A., P. Handler, and E.L. Smith. 1973. Principles of biochemistry. 5th ed. McGraw-Hill Book Company, New York.
  20. Sies, H. 1974. Biochemistry of the peroxisome in the liver cell. Angew. Chem. Int. Ed. Eng. 13:706-718.
  21. Boveris, A., N. Oshino, and B. Chance. 1972. The cellular production of hydrogen peroxide. Biochem. J. 128: 617-630.
  22. Lawrence, J.C., Jr., and J. Lerner. 1978. Activation of glycogen synthase in rat adipocytes by insulin and glucose involves increased glucose transport and phosphorylation. J. Biol. Chem. 253:2104-2113.

23. Klebanoff, S.J. 1972. Myeloperoxidase-mediated antimicrobial systems. Pages 3-21 in Phagocytic mechanisms in health and disease. Williams, R.C. and H.C. Fudenberg, eds. Intercontinental Medical Book Corporation, New York.
24. Giusti, G.V. 1973. Fatal poisoning with hydrogen peroxide. Forensic Sci. 2:99-100.
25. Budagovskiya, M.T., M.K. Vadachkoriya, and A.I. Desyatov. 1971. Otravlenie peridrolem. Voen. Med. Zh. 9:79-81. (Translation supplied with reference no. 1).
26. Aoki, M., and Y. Tani. 1972. Growth and histopathologic changes in mice fed with hydrogen peroxide solution instead of water. Igaku To Seibutsugaku 84:159-162. (In Japanese; translation supplied with reference no. 1).
27. Hrubetz, M.C., L.W. Conn, H.R. Gittes, J.K. MacNamee, and J.H. Williams. 1951. The cause of the increasing intravenous toxicity of 90% hydrogen peroxide with progressive dilutions. Medical Laboratories Research Report 75. Army Chemical Center, Edgewood, Md. 8 pp.
28. Spector, W.S., editor. 1956. Handbook of toxicology. Vol. 1. Acute toxicities of solids, liquids and gases to laboratory animals. W.B. Saunders Company, Philadelphia.
29. Dustin, P., and C. Gompel. 1949. Action du peroxyde d'hydrogène sur les mitoses intestinales de la Souris. C. R. Soc. Biol. 143:874-875.
30. Petrov, V.P. 1940. K voprosy o vnutrivennom vvedenii perekisi vodoroda ioshadyam, sobakam i krolikam. Farmakol. Toksikol. 3:61-66. (Translation supplied with reference no. 1).
31. Lorincz, A.L., J.J. Jacoby, and H.M. Livingstone. 1948. Studies on the parenteral administration of hydrogen peroxide. Anesthesiology 9:162-174.
32. Punte, C.L., L.Z. Saunders, and E.H. Krackow. 1953. The inhalation toxicity of aerosols of 90% hydrogen peroxide. Medical Laboratories Research Report No. 189. Army Chemical Center, Edgewood, Md. 5 pp.
33. Romanowski, A., J.R. Murray, and M.J. Huston. 1960. Effects of hydrogen peroxide on normal and hypertensive rats. Pharm. Acta Helv. 35:354-357.

34. Hankin, L. 1958. Hydrogen peroxide ingestion and the growth of rats. *Nature* (London) 182:1453.
35. Shapiro, M., V. Brat, and B.H. Ershoff. 1960. Induction of dental caries and pathological changes in periodontium of rat with hydrogen peroxide and other oxidizing agents. *J. Dent. Res.* 39:332-343.
36. Kawasaki, C., M. Kondo, T. Nagayama, Y. Takeuchi, and H. Nagano. 1969. Effect of hydrogen peroxide on the growth of rats. *Shokuhin Eiseigaku Zasshi* 10:68-72. (In Japanese; translation supplied with reference no. 1).
37. Oberst, F.W., C.C. Comstock, and E.B. Hackley. 1954. Inhalation toxicity of ninety per cent hydrogen peroxide vapor: acute, subacute, and chronic exposures of laboratory animals. *A.M.A. Arch. Ind. Hyg. Occup. Med.* 10:319-327.
38. Molnar, K. 1973. Subbiological aspects of ageing and the concept of biological cathode protection. *Mech. Ageing Dev.* 1:319-326.
39. Mann, T., and E. Leone. 1953. Studies on the metabolism of semen. 8. Ergothioneine as a normal constituent of boar seminal plasma. Purification and crystallization. Site of formation and function. *Biochem. J.* 53:140-148.
40. Boyland, E., and S. Sargent. 1951. The local greying of hair in mice treated with X rays and radiomimetic drugs. *Br. J. Cancer* 5:433-440.
41. Dickey, F.H., G.H. Cleland, and C. Lotz. 1949. The role of organic peroxides in the induction of mutations. *Proc. Natl. Acad. Sci. USA* 35:581-586.
42. Pollard, E.C., and P.K. Weller. 1967. Chain scission of ribonucleic acid and deoxyribonucleic acid by ionizing radiation and hydrogen peroxide in vitro and in Escherichia coli cells. *Radiat. Res.* 32:417-440.
43. Rondoni, P., and G. Cudkowicz. 1953. Hydrogen peroxide in tumours: its possible significance in carcinogenesis. *Experientia* 9:348-349.
44. Schmidt, F. 1964. Versuche zur cancerogenen Wirkung von Wasserstoffperoxid und zum Mechanismus der Strahlen-cancerogenese. *Acta Biol. Med. Ger.* 13:74-85. (Translation supplied with reference no. 1).

45. Shamberger, R.J. 1972. Increase of peroxidation in carcinogenesis. J. Natl. Cancer Inst. 48:1491-1497.
46. Bock, F.G., H.K. Myers, and H.W. Fox. 1975. Cocarcinogenic activity of peroxy compounds. J. Natl. Cancer Inst. 55:1359-1361.
47. Nagata, C., Y. Tagashira, M. Kodama, Y. Ioki, and S. Oboshi. 1973. Effect of hydrogen peroxide, Fenton's reagent, and iron ions on the carcinogenicity of 3,4-benzopyrene. Gann 64:277-285.
48. Thacker, J., and W.F. Parker. 1976. The induction of mutation in yeast by hydrogen peroxide. Mutation Res. 38:43-52.
49. Nanda, G., P. Nandi, and A.K. Mishra. 1975. Studies on induced reversions at the arginine locus of *Aspergillus chevalieri* (Mangin). Zebtralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. 2. 130:105-108.
50. Schonelch, J. 1967. The induction of chromosomal aberrations by hydrogen peroxide in strains of ascites tumors in mice. Mutation Res. 4:385-388.
51. Roundy, Z.D. 1958. Our industry today: treatment of milk for cheese with hydrogen peroxide. J. Dairy Sci. 41:1460-1465.
52. Jasewicz, L., and N. Porges. 1960. Whey preservation by hydrogen peroxide. J. Dairy Sci. 42:1119-1125.
53. Letter, dated April 21, 1978, from R.D. Harris, Anderson Clayton Foods, Richardson, Texas, to L. Mansor, Food and Drug Administration, Washington, D.C.
54. Letter, dated April 12, 1978, from J.F. Hutton, Foremost Foods Company, San Francisco, to L. Mansor, Food and Drug Administration, Washington, D.C.
55. Tepley, L.J., P.H. Derse, and W.V. Price. 1958. Composition and nutritive value of cheese produced from milk treated with hydrogen peroxide and catalase. J. Dairy Sci. 41:593-605.
56. Gregory, M.E., K.M. Henry, S.K. Kon, J.W.G. Porter, S.Y. Thompson, and M.I.W. Benjamin. 1961. The effect of hydrogen peroxide on the nutritive value of milk. J. Dairy Res. 28:177-182.

57. Lück, H., and A. Schillinger. 1958. Untersuchungen zur H<sub>2</sub>O<sub>2</sub>-Behandlung der Milch. II. Einfluss von H<sub>2</sub>O<sub>2</sub> auf Butterfett und einige fettlösliche Vitamine. Z. Lebensm. Unters. Forsch. 108:341-346.
58. Luck, H., and A. Schillinger. 1958. Untersuchungen zur H<sub>2</sub>O<sub>2</sub>-Behandlung der Milch. I. Einfluss auf Bestandteile der wässerigen Phase. Z. Lebensm. Unters. Forsch. 108:512-520.
59. Rasekh, J., B.R. Stillings, and V. Sidwell. 1972. Effect of hydrogen peroxide on the color, composition and nutritive quality of FPC (fish protein concentrate). J. Food Sci. 37:423-425.
60. Slump, P., and H.A.W. Schreuder. 1973. Oxidation of methionine and cystine in foods treated with hydrogen peroxide. J. Sci. Food Agric. 24:657-661.
61. Sjöberg, L.B., and S.L. Boström. 1977. Studies in rats on the nutritional value of hydrogen peroxide-treated fish protein and the utilization of oxidized sulfur-amino acids. Br. J. Nutr. 38:189-205.
62. Fox, P.F., and F.V. Kosikowski. 1967. Some effects of hydrogen peroxide on casein and its implications in cheese making. J. Dairy Sci. 50:1183-1188.
63. Grindrod, J., and T.A. Nickerson. 1967. Changes in milk proteins treated with hydrogen peroxide. J. Dairy Sci. 50:142-146.
64. Cooney, C.M., and C.V. Morr. 1972. Hydrogen peroxide alteration of whey proteins in whey and concentrated whey systems. J. Dairy Sci. 55:567-573.
65. Giolitti, G. 1949. Atti Soc. Ital. Sci. Vet. 3:543. Cited by H. Lück. 1956. The use of hydrogen peroxide as a dairy preservative. Dairy Sci. Abstr. 18:363-386.
66. Matsuo, N. 1954. Studies on the toxicity of fish oil. II. J. Biochem. (Tokyo) 41:647-652.
67. Kaneda, T., H. Sakai, and S. Ishii. 1955. Nutritive value or toxicity of highly unsaturated fatty acids. II. J. Biochem. (Tokyo) 42:561-573.
68. Andrews, J.S., J.F. Mead, and W.H. Griffith. 1956. Toxicity of lipid peroxides in the rat. Fed. Proc. Fed. Am. Soc. Exp. Biol. 15:918-920.

69. Andrews, J.S., W.H. Griffith, J.F. Mead, and R.A. Stein. 1960. Toxicity of air-oxidized soybean oil. J. Nutr. 70:199-210.
70. Holman, R.T., and S.I. Greenberg. 1958. A note on the toxicities of methyl oleate peroxide and ethyl linoleate peroxide. J. Am. Oil Chem. Soc. 35:707.
71. Olcott, H.S., and A. Dolev. 1963. Toxicity of fatty acid hydroperoxides. Proc. Soc. Exp. Biol. Med. 114:820-822.
72. Sullivan, D.R., and B.F. Szuhaj. 1975. Commercial lecithin: types, properties, and uses. Unpublished manuscript presented to the American Oil Chemists' Society National Meeting, Dallas, Texas.
73. Letter, dated May 16, 1973, from E.F. Sipos, Central Soya Company, Inc, Chicago, to D.F. Dodgen, National Research Council, Washington, D.C.
74. Attachment H to letter, dated July 25, 1960, from M.F. Markel, Central Soya Company, Inc., Chicago, to Food and Drug Administration, Washington, D.C.
75. Verrett, M.J. 1975. Investigations of the toxic and teratogenic effects of GRAS substances to the developing chicken embryo: lecithin, double-bleached. Food and Drug Administration, Washington, D.C. [8pp.]
76. Kieckebusch, W., K. Jahr, G. Czok, E. Degkwitz, and K. Lang. 1963. Physiologische Eigenschaften epoxydierter Ole. Fette, Seifen, Anstrichm. 65:919-924.
77. Chisholm, M.J., and C.Y. Hopkins. 1959. The oxygenated fatty acid of Tragopogon porrifolius seed oil. Chem. Ind. 1154-1155.
78. Gunstone, F.D. 1954. Fatty acids. Part II. The nature of the oxygenated acid present in Vernonia anthelmintica (Willd.) seed oil. J. Chem. Soc. 1611-1616.
79. Smith, C.R., Jr., M.O. Bagby, R.L. Lohmar, C.A. Glass, and I.A. Wolff. 1960. The epoxy acids of Chrysanthemum coronarium and Clarkia elegans seed oils. J. Org. Chem. 25:218-222.
80. Gunstone, F.D., and L.J. Morris. 1959. Fatty acids. Part VI. The oxygenated acid present in Camelina sativa (Crantz.) seed oil. J. Chem Soc. 2127-2132.

81. Chalvardjian, A., L.J. Morris, and R.T. Holman. 1962. Effect of dietary epoxyoleic acid upon rats. J. Nutr. 76:52-58.
82. Van Duuren, B.L., L. Langseth, B.M. Goldschmidt, and L. Orris. 1967. Carcinogenicity of epoxides, lactones, and peroxy compounds. VI. Structure and carcinogenic activity. J. Natl. Cancer Inst. 39:1217-1228.
83. Van Duuren, B.L. 1969. Carcinogenic epoxides, lactones, and halo-ethers and their mode of action. Ann. N.Y. Acad. Sci. 163:633-651.
84. Swern, D., R. Wieder, M. McDonough, D.R. Meranze, and M.B. Shimkin. 1970. Investigation of fatty acids and derivatives for carcinogenic activity. Cancer Res. 30: 1237-1046.
85. Seelkopf, C., and K. Salfelder. 1962. Tierversuche zur Frage cancerogener Eigenschaften einiger Epoxyde in überhitzten Fetten. Z. Krebsforsch. 64:459-464.
86. Ivie, G.W. 1976. Epoxide to olefin: a novel biotransformation in the rumen. Science 191:959-961.
87. Leibman, K.C., and E. Ortiz. 1970. Epoxide intermediates in microsomal oxidation of olefins to glycols. J. Pharmacol. Exp. Ther. 173:242-246.
88. Glavind, J., and N. Tryding. 1960. On the digestion and absorption of lipoperoxides. Acta Physiol. Scand. 49:97-102.
89. Smith, I.L. 1976. As quoted in a memorandum, dated April 6, from C.J. Carr, J.M. Talbot, and K.K. Kimura, Federation of American Societies for Experimental Biology, Bethesda, Md. to A.L. Forbes, Food and Drug Administration, Washington, D.C. concerning a meeting on "Biological significance of various cholesterol derivatives" held at FASEB on March 24, 1976.
90. Bischoff, F. 1969. Carcinogenic effects of steroids. Adv. Lipid Res. 7:165-244.
91. Bryson, G., and F. Bischoff. 1963. Carcinogenesis in Marsh mice by testicular injection of cholesterol alpha oxide. Proc. Am. Assoc. Cancer Res. 4:8 (Abstract).
92. Smith, I.L., and M.J. Kulig. 1976. Singlet molecular oxygen from hydrogen peroxide disproportionation. J. Am. Chem. Soc. 98:1027-1029.