

# Laboratory report

CCL-2007025571-V01



EBI Food Safety  
t.a.v. Hr. M. Schellekens  
Nieuwe kanaal 7P  
6709 PA WAGENINGEN

customer number : CCL-3308

subject : Quality control

on request of : EBI Food Safety, Nieuwe kanaal 7P, 6709 PA Wageningen

## sample characteristics :

CL20070413.353  
Listex P100  
13-07-2007  
13-04-2007  
date sample received :  
sampling point :  
additional info :  
product name :  
sampling date :  
external code :  
product code :  
Batchnr:07D04  
prod.04 april 2007  
charge :  
sample taken by :  
cost code :  
unknown

| parameter                               | method     | result      | rem. unit |
|---|------------|-------------|-----------|
| Aerobic plate count 30 °C               | ANAL-10196 | <1          | cfu/mL    |
| Total count of yeasts & moulds          | ANAL-10165 | <1          | cfu/mL    |
| Detection of L. monocytogenes in 25 g   | ANAL-10213 | not present |           |
| Detection of Salmonella in 25g by VIDAS | ANAL-10171 | not present |           |
| Detection of E. coli in 1 g             | ANAL-10210 | not present |           |
| Enterobacteriaceae MPN (2,2g)           | ANAL-10247 | 0,0         | cfu/g     |
| Detection of S. aureus in 1 g           | ANAL-10166 | not present |           |

remarks :

mailinglist :

robert.van.kaathoven@ccl.nl

Veghel, 24 april 2007  
Customer services  
0413-382245

*(Signature)*