

References

- Abad FX, Pinto RM, Bosch A (1994) Survival of enteric viruses on environmental fomites. *Applied and Environmental Microbiology* 60(10):3704–3710
- Abu-Madi MA, Behnke JM, Dabritz HA (2010) *Toxoplasma gondii* seropositivity and co-infection with TORCH pathogens in high-risk patients from Qatar. *American Journal of Tropical Medicine and Hygiene* 82(4):626–633
- Agata N, Ohta M, Yokoma K (2002) Production of *Bacillus cereus* emetic toxin (cereulide) in various foods. *International Journal of Food Microbiology* 73:23–27
- Agata N, Ohta M, Mori M, Isobe M (1995) A novel dodecadepsipeptide, cereulide, is an emetic toxin of *Bacillus cereus*. *FEMS Microbiology Letters* 129:17–20
- Agata N, Mori M, Ohta M, Suwan S, Ohtani I, Isobe M (1994) A novel dodecadepsipeptide, cereulide, isolated from *Bacillus cereus* causes vacuole formation in HEp-2 cells. *FEMS Microbiology Letters* 121:31–34
- Aguzzi A, Calella AM (2009) Prions: Protein aggregation and infectious diseases. *Physiological Reviews* 89:1105–1152
- Alfano-Sobsey E, Sweat D, Hall A, Breedlove F, Rodriguez R, Greene S, Pierce A, Sobsey M, Davies M, Ledford SL (2012) Norovirus outbreak associated with undercooked oysters and secondary household transmission. *Epidemiology and Infection* 140:276–282
- Al-Qassab S, Reichel MP, Su C, Jenkins D, Hall C, Windsor PA, Dubey JP, Ellis J (2009) Isolation of *Toxoplasma gondii* from the brain of a dog in Australia and its biological and molecular characterization. *Veterinary Parasitology* 164(2-4):335–339
- Angelidis AS, Koutsoumanis K (2006) Prevalence and concentration of *Listeria monocytogenes* in sliced ready-to-eat meat products in the Hellenic retail market. *Journal of Food Protection* 69(4):938–942
- Ankolekar C, Rahmati T, Lebbe RG (2009) Detection of toxigenic *Bacillus cereus* and *Bacillus thuringiensis* in US rice. *International Journal of Food Microbiology* 128:460–466
- Appleton H (2000) Control of food-borne viruses. *British Medical Bulletin* 56(1):172–183
- Argudin MA, Mendoza MC, Rodicio MR (2010) Food poisoning and *Staphylococcus aureus* enterotoxins. *Toxins* 2(7):1751–1773
- Arnal C, Crance JM, Gantzer C, Schwartzbrod L, Deloince R, Billaudel S (1998) Persistence of infectious hepatitis A virus and its genome in artificial seawater. *Zentralblatt fur Hygiene Umweltmedizin* 201:279–284
- Arnesen SLP, Fagerlund A, Granum PE (2008) From soil to gut: *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiology Reviews* 32:579–606
- Arnold KW, Kaspar CW (1995) Starvation- and stationary-phase-induced acid tolerance in *Escherichia coli* O157:H7. *Applied and Environmental Microbiology* 61(5):2037–2039
- Arrowood MJ (2003) *Cyclospora cayetanensis*. Ch 29 In: Miliotis MD, Bier JW (eds) *International Handbook of Foodborne Pathogens*. Marcel Dekker, New York, p. 503–510

Asao T, Kumeda Y, Kawai T, Shibata T, Oda H, Haruki K, Nakazawa H, Kozaki S (2003) An extensive outbreak of staphylococcal food poisoning due to low-fat milk in Japan: Estimation of enterotoxin A in the incriminated milk and powdered skim milk. *Epidemiology and Infection* 130:33–40

Ash C, Farrow JA, Dorsch M, Stackbrandt E, Collins MD (1991) Comparative analysis of *Bacillus anthracis*, *Bacillus cereus*, and related species on the basis of reverse transcriptase sequencing of 16S rRNA. *International Journal of Systematic Bacteriology* 41:343–346

Atmar RL, Opekun AR, Gilger MA, Estes MK, Crawford SE, Neill FH, Graham DY (2008) Norwalk virus shedding after experimental human infection. *Emerging Infectious Diseases* 14(10):1553–1557

Augustin JC (2011) Challenges in risk assessment and predictive microbiology of foodborne spore-forming bacteria. *Food Microbiology* 28(2):209–213

Aureli P, Fiorucci GC, Caroli D, Marchiaro G, Novara O, Leone L, Salmaso S (2000) An outbreak of febrile gastroenteritis associated with corn contaminated by *Listeria monocytogenes*. *New England Journal of Medicine* 342:1236–1241

AWHN (2009) Toxoplasmosis Fact Sheet. Australian Wildlife Health Network, Sydney. [http://www.wildlifehealth.org.au/Portals/0/Documents/FactSheets/Toxoplasmosis%202023%20Mar%202009%20\(1.0\).pdf](http://www.wildlifehealth.org.au/Portals/0/Documents/FactSheets/Toxoplasmosis%202023%20Mar%202009%20(1.0).pdf). Accessed 8 May 2013

Aydin A, Sudagidan M, Muratoglu K (2011) Prevalence of staphylococcal enterotoxins, toxin genes and genetic relatedness of foodborne *Staphylococcus aureus* strains isolated in the Marmara region of Turkey. *International Journal of Food Microbiology* 148:99–106

Ayi I, Edu SA, Apea-Kubi KA, Boamah D, Bosompem KM, Edoh D (2009) Sero-epidemiology of toxoplasmosis amongst pregnant women in the greater accra region of Ghana. *Ghana Medical Journal* 43(3):107–114

Baert L, Mattison K, Loisy-Hamon F, Harlow J, Martyres A, Lebeau B, Stals A, Van Collie E, Herman L, Uyttendaele M (2011) Review: Norovirus prevalence in Belgian, Canadian and French fresh produce: A threat to human health? *International Journal of Food Microbiology* 151:261–269

Bagamboula CF, Uyttendaele M, Debevere J (2002) Acid tolerance of *Shigella sonnei* and *Shigella flexneri*. *Journal of Applied Microbiology* 93:479–486

Bahia-Oliveira LM, Jones JL, Azevedo-Silva J, Alves CC, Orefice F, Addiss DG (2003) Highly endemic, waterborne toxoplasmosis in north Rio de Janeiro state, Brazil. *Emerging Infectious Diseases* 9(1):55–62

Banerjee M, Sarkar PK (2004) Antibiotic resistance and susceptibility to some food preservative measures of spoilage and pathogenic micro-organisms from spices. *Food Microbiology* 21:335–342

Bank-Wolf BR, Konig M, Thiel HJ (2010) Zoonotic aspects of infections with noroviruses and sapoviruses. *Veterinary Microbiology* 140:204–212

Barlow RS, Mellor GE (2010) Prevalence of enterohemorrhagic *Escherichia coli* serotypes in Australian beef cattle. *Foodborne Pathogens and Disease* 7(10):1239–1245

Barlow RS, Gobius KS, Desmarchelier PM (2006) Shiga toxin-producing *Escherichia coli* in ground beef and lamb cuts: Results of a one-year study. International Journal of Food Microbiology 111(1):1–5

Barnoy S, Jeong KI, Helm RF, Suvarnapunya AE, Ranallo RT, Tzipori S, Venkatesan MM (2010) Characterization of WRSs2 and WRSs3, new second-generation *virG(icsA)*-based *Shigella sonnei* vaccine candidates with the potential for reduced reactogenicity. Vaccine 28:1642–1654

Baron T, Bencsik A, Morniat E (2010) Prions of ruminants show distinct splenotropisms in an ovine transgenic mouse model. PLoS ONE 5(4):e10310

Barrabeig I, Rovira A, Buesa J, Bartolome R, Pinto R, Prellezo H, Dominguez A (2010) Foodborne norovirus outbreak: The role of an asymptomatic food handler. BMC Infectious Diseases 10:269

Barsoum RS (2006) Parasitic infections in transplant recipients. Nature Reviews Nephrology 2(9):490–503

Becker H, Schaller G, Von Wiese W, Terplan G (1994) *Bacillus cereus* in infant foods and dried milk products. International Journal of Food Microbiology 23(1):1–15

Beecher DJ, Schoeni JL, Wong ACL (1995) Enterotoxic activity of hemolysin BL from *Bacillus cereus*. Infection and Immunity 63(11):4423–4428

Bell C, Kyriakides A (2005) *Listeria*: A practical approach to the organism and its control in foods. 2nd ed, Blackwell Publishing, Oxford

Bell C, Kyriakides A (2002) *Salmonella*: A practical approach to the organism and its control in foods. Blackwell Science, Oxford

Bell C, Kyriakides A (1998) *E. coli*: A practical approach to the organism and its control in foods. Blackwell Science, Oxford

Bhavasar SP, Kapadnis BP (2007) Virulence factors of *Campylobacter*. The Internet Journal of Microbiology 3:2

Bichara CN, Canto GA, Tostes CL, Freitas JJ, Carmo EL, Povoa MM, Silveira EC (2012) Incidence of congenital toxoplasmosis in the City of Belem, State of Para, Northern Brazil, determined by a neonatal screening program: Preliminary results. Revista da Sociedade Brasileira de Medicina Tropical 45(1):122–124

Bidawid S, Farber JM, Sattar SA (2000) Contamination of foods by food handlers: Experiments on hepatitis A virus transfer to food and its interruption. Applied and Environmental Microbiology 66(7):2759–2763

Bidawid S, Farber JM, Sattar SA, Hayward S (2000) Heat inactivation of hepatitis A virus in dairy foods. Journal of Food Protection 63(4):522–528

Black RE, Levine MM, Clements ML, Hughes TP, Blaser MJ (1988) Experimental *Campylobacter jejuni* infection in humans. Journal of Infectious Diseases 157(3):472–479

Blaser MJ, Hardesty HL, Powers B, Wang WL (1980) Survival of *Campylobacter fetus* subsp. *jejuni* in biological milieus. Journal of Clinical Microbiology 11(4):309–313

- Bollaerts K, Aerts M, Faes C, Grijspeerdt K, Dewulf J, Mintiens K (2008) Human salmonellosis: Estimation of dose-illness from outbreak data. *Risk Analysis* 28(2):427–440
- Bonametti AM, Passos JN, da Silva EM, Bortoliero AL (1997) Outbreak of acute toxoplasmosis transmitted thru the ingestion of ovine raw meat. *Revista da Sociedade Brasileira de Medicina Tropical* 30(1):21–25
- Bonazzi M, Lecuit M, Cossart P (2009) *Listeria monocytogenes* internalin and E-cadherin: From structure to pathogenesis. *Cellular Microbiology* 11(5):693–702
- Boothroyd JC, Grigg ME (2002) Population biology of *Toxoplasma gondii* and its relevance to human infection: Do different strains cause different disease? *Current Opinion in Microbiology* 5:438–442
- Boughton C, Leonard FC, Egan J, Kelly G, O'Mahony P, Markey BK, Griffin M (2004) Prevalence and number of *Salmonella* in Irish pork sausages. *Journal of Food Protection* 67(9):1834–1839
- Boxman I, Dijkman R, Verhoef L, Maat A, Van Dijk G, Vennema H, Koopmans M (2009) Norovirus on swabs taken from hands illustrate route of transmission: A case study. *Journal of Food Protection* 72(8):1753–1755
- Brown K, Mastrianni JA (2010) The prion diseases. *Journal of Geriatric Psychiatry* 23(4):277–298
- Brundage SC, Fitzpatrick AN (2006) Hepatitis A. *American Family Physician* 73(12):2162–2168
- Bryan FL, Doyle MP (1995) Health risks and consequence of *Salmonella* and *Campylobacter jejuni* in raw poultry. *Journal of Food Protection* 58(3):326–344
- Burgess CM, Rivas L, McDonnell MJ, Duffy G (2008) Biocontrol of pathogens in the meat chain. Ch 12 In: Toldra F (ed) *Meat Biotechnology*. Springer, New York, p. 253–288
- Burkhardt W, Calci KR (2000) Selective accumulation may account for shellfish-associated viral illness. *Applied and Environmental Microbiology* 66(4):1375–1378
- Busani L, Cigliano A, Taioli E, Caligiuri V, Chiavacci L, Di Bella C, Battisti A, Duranti A, Gianfranceschi M, Nardella MC, Ricci A, Rolesu S, Tamba M, Marabelli R, Caprioli A (2005) Prevalence of *Salmonella enterica* and *Listeria monocytogenes* contamination in foods of animal origin in Italy. *Journal of Food Protection* 68(8):1729–1733
- Butot S, Putallaz T, Sanchez G (2008) Effects of sanitation, freezing and frozen storage on enteric viruses in berries and herbs. *International Journal of Food Microbiology* 126(1-2):30–35
- Cabedo L, Barrot LPI, Canelles ATI (2008) Prevalence of *Listeria monocytogenes* and *Salmonella* in ready-to-eat food in Catalonia, Spain. *Journal of Food Protection* 71(4):855–859
- California Food Emergency Response Team (2007) Investigation of an *Escherichia coli* O157:H7 outbreak associated with Dole pre-packaged spinach. California Department of Health Services, US Food and Drug Administration, Sacramento

Carlsson B, Kindberg E, Buesa J, Rydell GE, Lidon MF, Montava R, Mallouh RA, Grahn A, Rodriguez-Diaz J, Bellido J, Arnedo A, Larson G, Svensson L (2009) The G428A nonsense mutation in *FUT2* provides strong but not absolute protection against symptomatic GII.4 norovirus infection. PLoS ONE 4(5):e5593

Carme B, Demar M, Ajzenberg D, Darde ML (2009) Severe acquired toxoplasmosis caused by wild cycle of *Toxoplasma gondii*, French Guiana. Emerging Infectious Diseases 15(4):656–658

Castillo A, Villarruel-Lopez A, Navarro-Hidalgo V, Martinez-Gonzalez NE, Torres-Vitela MR (2006) *Salmonella* and *Shigella* in freshly squeezed orange juice, fresh oranges, and wiping cloths collected from public markets and street booths in Guadalajara, Mexico: Incidence and comparison of analytical routes. Journal of Food Protection 69(11):2595–2599

Caughey B, Baron GS, Chesebro B, Jeffrey M (2009) Getting a grip on prions: Oligomers, amyloids and pathological membrane interactions. Annual Review of Biochemistry 78:177–204

CDC (2012) Summary of notifiable diseases - United States, 2010. Morbidity and Mortality Weekly Report 59(53):1–111

CDC (2011) Multistate outbreak of listeriosis linked to whole cantaloupes from Jensen Farms, Colorado. <http://www.cdc.gov/listeria/outbreaks/cantaloupes-jensen-farms/120811/index.html>. Accessed 17 February 2012

CDC (2011) Updated norovirus outbreak management and disease prevention guidelines. Morbidity and Mortality Weekly Report Recommendations and Reports 60(3):1–15

CDC (2011) Vital signs: Incidence and trends of infection with pathogens transmitted commonly through food - Foodborne Diseases Active Surveillance Network, 10 U.S. sites, 1996-2010. Morbidity and Mortality Weekly Report 60(22):749–755

CDC (2010) *Campylobacter*. Centers for Disease Control and Prevention, Atlanta. <http://www.cdc.gov/nczved/divisions/dfbmdd/diseases/campylobacter/technical.html>. Accessed 12 July 2010

CDC (2010) Investigation update: Multistate outbreak of human *Salmonella* Montevideo infections. <http://www.cdc.gov/salmonella/montevideo/>. Accessed 14 May 2010

CDC (2010) Parasites - Toxoplasmosis (*Toxoplasma* infection). http://www.cdc.gov/parasites/toxoplasmosis/gen_info/index.html. Accessed 3 August 2012

CDC (2010) Preliminary FoodNet data on the incidence of infection with pathogens transmitted commonly through food - 10 states, 2009. Morbidity and Mortality Weekly Report 59(14):418–422

CDC (2009) Multistate outbreak of *E. coli* O157:H7 infections linked to eating raw refrigerated, prepackaged cookie dough. Centers for Disease Control and Prevention, Atlanta. <http://www.cdc.gov/ecoli/2009/0807.html>. Accessed 7 February 2011

CDC (2009) Surveillance for acute viral hepatitis - United States, 2007. Morbidity and Mortality Weekly Report Surveillance Summaries 58(3):1–27

CDC (2007) Multistate outbreak of *Salmonella* serotype Tennessee infections associated with peanut butter - United States, 2006-2007. Morbidity and Mortality Weekly Review 56(21):521–524

CDC (2004) Outbreak of cyclosporiasis associated with snow peas - Pennsylvania, 2004. Morbidity and Mortality Weekly Report 53(37):876–878

CDC-DPDx (2009) Laboratory identification of parasites of public health concern - Parasites & health. http://dpd.cdc.gov/dpdx/HTML/Para_Health.htm. Accessed 23 December 2010

Chacin-Bonilla L (2010) Epidemiology of *Cyclospora cayetanensis*: A review focusing in endemic areas. Acta Tropica 115(3):181–193

Chakrabarti O, Ashok A, Hegde RS (2009) Prion protein biosynthesis and its emerging role in neurodegeneration. Trends in Biochemical Sciences 34(6):287–295

Chen MY, Chen WC, Chen PC, Hsu SW, Lo YC (2016) An outbreak of norovirus gastroenteritis associated with asymptomatic food handlers in Kinmen, Taiwan. BMC Public Health 16:372

Chen Y, Ross WH, Gray MJ, Wiedmann M, Whiting RC, Scott VN (2006) Attributing risk to *Listeria monocytogenes* subgroups: Dose response in relation to genetic lineages. Journal of Food Protection 69(2):335–344

Chivell WC (1995) Finding of inquest: Inquest into death of Nikki Dearne Robinson. South Australia State Coroner's Office, Adelaide

Choi WY, Nam HW, Kwak NH, Huh W, Kim YR, Kang MW, Cho SY, Dubey JP (1997) Foodborne outbreaks of human toxoplasmosis. Journal of Infectious Disease 175(5):1280–1282

Christie AB (1968) Bacillary dysentery. British Medical Journal 2:285–288

Chumpolbanchorn K, Lymbery AJ, Pallant LJ, Pan S, Sukthana Y, Thompson RC (2013) A high prevalence of *Toxoplasma* in Australian chickens. Veterinary Parasitology doi:10.1016/j.vetpar.2013.01.009

Cliver DO (1985) Vehicular transmission of hepatitis A. Public Health Reviews 13:235–292

Coats D, Hutchinson DN, Bolton FJ (1987) Survival of thermophilic *Campylobacters* on fingertips and their elimination by washing and disinfection. Epidemiology and Infection 99:265–274

Cobb NJ, Surewicz WK (2009) Prion diseases and their biochemical mechanisms. Biochemistry 48(12):2574–2585

Codex (2012) Guidelines on the application of general principles of food hygiene to the control of viruses in food (CAC/GL 79 - 2012). Codex Alimentarius, Rome. <http://www.fao.org/fao-who-codexalimentarius/standards/list-of-standards/en/>. Accessed 24 February 2017

Cohen D, Ashkenazi S, Green MS, Gdalevich M, Robin G, Slepon R, Yavzori M, Orr N, Block C, Ashkenazi I, Shemer J, Taylor DN, Hale TL, Sadoff JC, Pavliakova D, Schnierson R, Robbins JB (1997) Double-blind vaccine-controlled randomised efficacy trial of an investigational *Shigella sonnei* conjugate vaccine in young adults. Lancet 349:155–159

Collinge J (2012) The risk of prion zoonoses. Science 335:411–413

Colwell RR, Brayton PR, Grimes DJ, Roszak DB, Huq SA, Palmer LM (1985) Viable but non-culturable *Vibrio cholerae* and related pathogens in the environment: Implications for release of genetically engineered microorganisms. *Nature Biotechnology* 3(9):817–820

Conaty S, Bird P, Bell G, Kraa E, Grohmann G, McAnulty JM (2000) Hepatitis A in New South Wales, Australia, from consumption of oysters: The first reported outbreak. *Epidemiology and Infection* 124:121–130

Cook N, Rzezutka A (2006) Hepatitis viruses. Ch 11 In: Motarjemi Y, Adams M (eds) Emerging Foodborne Pathogens. Woodhead Publishing, Cambridge, p. 282–308

Cooksley WG (2000) What did we learn from the Shanghai hepatitis A epidemic? *Journal of Viral Hepatitis* 7(Suppl 1):1–3

Coster TS, Hoge CW, Van De Verg LL, Hartman AB, Oaks EV, Venkatesan MM, Cohen D, Robin G, Fontaine-Thompson A, Sansonetti PJ, Hale TL (1999) Vaccination against shigellosis with attenuated *Shigella flexneri* 2a strain SC602. *Infection and Immunity* 67(7):3437–3443

Croci L, Suffredini E, Di Pasquale S, Cozzi L (2012) Detection of norovirus and feline calicivirus in spiked molluscs subjected to heat treatments. *Food Control* 25:17–22

Croci L, Losio MN, Suffredini E, Pavoni E, Di Pasquale S, Fallacara F, Arcangeli G (2007) Assessment of human enteric viruses in shellfish from the northern Adriatic sea. *International Journal of Food Microbiology* 114:252–257

Croci L, De Medicic D, Ciccozzi M, Di Pasquale S, Suffredini E, Toti L (2003) Contamination of mussels by hepatitis A virus: A public-health problem in southern Italy. *Food Control* 14(8):559–563

Croci L, De Medicic D, Scalfaro C, Fiore A, Toti L (2002) The survival of hepatitis A virus in fresh produce. *International Journal of Food Microbiology* 73(1):29–34

Crum-Cianflone NF (2008) Salmonellosis and the GI tract: More than just peanut butter. *Current Gastroenterology Reports* 10(4):424–431

D'Souza DH, Sair A, Williams K, Papafragkou E, Jean J, Moore C, Jaykus L (2006) Persistence of caliciviruses on environmental surfaces and their transfer to food. *International Journal of Food Microbiology* 108:84–91

Darby J, Sheorey H (2008) Searching for *Salmonella*. *Australian Family Physician* 37(10):806–810

Davidson PM, Taylor TM (2007) Chemical preservatives and natural antimicrobial compounds. Ch 33 In: Doyle MP, Beuchat LR (eds) *Food microbiology: Fundamentals and frontiers*. 3rd ed, ASM Press, Washington D.C., p. 713–745

Dawson D (2005) Foodborne protozoan parasites. *International Journal of Food Microbiology* 103(2):207–227

Debbink K, Lindesmith LC, Donaldson EF, Baric RS (2012) Norovirus immunity and the great escape. *PLoS Pathogen* 8(10):e1002921

Deboose N, Legeay O, Caudrelier Y, Lange M (2004) Modelling effect of physical and chemical parameters on heat inactivation kinetics of hepatitis A virus in a fruit model system. *International Journal of Food Microbiology* 93:73–85

Delair E, Latkany P, Noble G, Rabiah P, McLeod R, Brezin A (2011) Clinical manifestations of ocular toxoplasmosis. *Ocular Immunology and Inflammation* 19(2):91–102

Demar M, Ajzenberg D, Maubon D, Djossou F, Panchoe D, Punwasi W, Valery N, Peneau C, Daigre JL, Aznar C, Cottrelle B, Terzan L, Darde ML, Carme B (2007) Fatal outbreak of human toxoplasmosis along the Maroni River: Epidemiological, clinical, and parasitological aspects. *Clinical Infectious Diseases* 45(7):e88–e95

de Moura L, Bahia-Oliveira LM, Wada MY, Jones JL, Tuboi SH, Carmo EH, Ramalho WM, Camargo NJ, Trevisan R, Graca RM, da Silva AJ, Moura I, Dubey JP, Garrett DO (2006) Waterborne toxoplasmosis, Brazil, from field to gene. *Emerging Infectious Diseases* 12(2):326–329

DePaola A, Jones JL, Woods J, Burkhardt W, Calci KR, Kranz JA, Bowers JC, Kasturi K, Byars RH, Jacobs E, Williams-Hill D, Nabe K (2010) Bacterial and viral pathogens in live oysters: 2007 United States market survey. *Applied and Environmental Microbiology* 76(9):2754–2768

Derouin F, Pelloux H (2012) Prevention of toxoplasmosis in transplant patients. *Clinical Microbiology and Infection* 14:1089–1101

Desai R, Hembree CD, Handel A, Matthews JE, Dickey BW, McDonald S, Hall AJ, Parashar UD, Leon JS, Lopman B (2012) Severe outcomes are associated with genogroup 2 genotype 4 norovirus outbreaks: A systematic literature review. *Clinical Infectious Diseases* 55(2):189–193

Desmarchelier PM, Fegan N (2003) Enteropathogenic *Escherichia coli*. Ch 9 In: Hocking AD (ed) *Foodborne microorganisms of public health significance*. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 267–310

Dierick K, Van Coillie E, Meyfroidt G, Devlieger H, Meulemans A, Hoedemaekers G, Fourie L, Heyndrickx M, Mahillon J (2005) Fatal family outbreak of *Bacillus cereus* associated food poisoning. *Journal of Clinical Microbiology* 43(8):4277–4279

Dixon B, Parrington L, Cook A, Pollari F, Farber J (2013) Detection of *Cyclospora*, *Cryptosporidium*, and *Giardia* in ready-to-eat packaged leafy greens in Ontario, Canada. *Journal of Food Protection* 76(2):307–313

Do Carmo LS, Cummings C, Linardi VR, Dias RS, De Souza JM, De Sena MJ, Dos Santos DA, Shupp JW, Pereira RKP, Jett M (2004) A case study of a massive staphylococcal food poisoning incident. *Foodborne Pathogens and Disease* 1(4):241–246

DOHA (2011) Immunise Australia Program: Hepatitis A. Department of Health and Ageing, Canberra. <http://immunise.health.gov.au/internet/immunise/publishing.nsf/Content/immunise-hepa>. Accessed 3 May 2013

DOHA (2008) The Australian Immunisation Handbook. 9th ed, Department of Health and Ageing, Canberra

DOHA (2005) Foodborne illness in Australia - Annual incidence circa 2000. Australian Government Department of Health and Ageing, Canberra

Dolin R, Blacklow NR, DuPont H, Buscho RF, Wyatt RG, Kasel JA, Hornick R, Chanock RM (1972) Biological properties of Norwalk agent of acute infectious nonbacterial gastroenteritis. *Proceedings of the Society for Experimental Biology and Medicine* 140(2):578–583

Donaldson EF, Lindesmith LC, Lobue AD, Baric RS (2008) Norovirus pathogenesis: Mechanisms of persistence and immune evasion in human populations. *Immunological Reviews* 225:190–211

Donnan EJ, Fielding JE, Gregory JE, Lalor K, Rowe S, Goldsmith P, Antoniou M, Fullerton KE, Knope K, Copland JG, Bowden DS, Tracy SL, Hogg GG, Tan A, Adamopoulos J, Gaston J, Vally H (2012) A multistate outbreak of hepatitis A associated with semidried tomatoes in Australia, 2009. *Clinical Infectious Diseases* 54(6):775–781

Doyle MP, Roman DJ (1982) Response of *Campylobacter jejuni* to sodium chloride. *Applied and Environmental Microbiology* 43(3):561–565

Dubey JP, Lago EG, Gennari SM, Su C, Jones JL (2012) Toxoplasmosis in humans and animals in Brazil: High prevalence, high burden of disease, and epidemiology. *Parasitology* 139:1375–1424

Dubey JP (2004) Toxoplasmosis - A waterborne zoonosis. *Veterinary Parasitology* 126(1-2):57–72

Dubey JP (1998) *Toxoplasma gondii* oocyst survival under defined temperatures. *Journal of Parasitology* 84(4):862–865

Dubey JP (1998) Re-examination of resistance of *Toxoplasma gondii* tachyzoites and bradyzoites to pepsin and trypsin digestion. *Parasitology* 116(1):43–50

Dubey JP, Lindsay DS, Speer CA (1998) Structures of *Toxoplasma gondii* tachyzoites, bradyzoites, and sporozoites and biology and development of tissue cysts. *Clinical Microbiology Reviews* 11(2):267–299

Dubey JP, Lunney JK, Shen SK, Kwok OC, Ashford DA, Thulliez P (1996) Infectivity of low numbers of *Toxoplasma gondii* oocysts to pigs. *Journal of Parasitology* 82(3):438–443

Dubey JP, Kotula AW, Sharar A, Andrews CD, Lindsay DS (1990) Effect of high temperature on infectivity of *Toxoplasma gondii* tissue cysts in pork. *Journal of Parasitology* 76(2):201–204

Dubremer JF, Lebrun M (2012) Virulence factors of *Toxoplasma gondii*. *Microbes and Infection* 14(15):1403–1410

DuPont HL, Levine MM, Hornick RB, Formal SB (1989) Inoculum size in shigellosis and implications for expected mode of transmission. *Journal of Infectious Diseases* 159(6):1126–1128

EFSA (2016) The European Union summary report on trends and sources of zoonoses, zoonotic agents and food-borne outbreaks in 2015. *EFSA Journal* 14(12):4634

EFSA (2015) The European Union summary report on trends and sources of zoonoses, zoonotic agents and food-borne outbreaks in 2014. *EFSA Journal* 13(12):4329

EFSA (2013) The European Union summary report on trends and sources of zoonoses, zoonotic agents and foodborne outbreaks in 2011. *EFSA Journal* 11(4):3129

EFSA (2012) The European Union summary report on trends and sources of zoonoses, zoonotic agents and foodborne outbreaks in 2010. *EFSA Journal* 10(3):2597

EFSA (2011) Tracing seeds, in particular fenugreek (*Trigonella foenum-graecum*) seeds, in relation to the Shiga toxin-producing *E. coli* (STEC) O104:H4 2011 outbreaks in Germany and France. <http://www.efsa.europa.eu/en/supporting/doc/176e.pdf>. Accessed 24 February 2012

EFSA (2010) Analysis of the baseline survey on the prevalence of *Campylobacter* in broiler batches and of *Campylobacter* and *Salmonella* on broiler carcasses in the EU, 2008 - Part A: *Campylobacter* and *Salmonella* prevalence estimates. EFSA Journal 8(03):1503

Eglezos S, Huang B, Dykes GA, Fegan N (2010) The prevalence and concentration of *Bacillus cereus* in retail products in Brisbane, Australia. Foodborne Pathogens and Disease 7(7):867–870

Ehling-Schulz M, Guinebretière M, Monthan A, Berge O, Fricker M, Svensson B (2006) Toxin gene profiling of enterotoxic and emetic *Bacillus cereus*. FEMS Microbiology Letters 260(2):232–240

Ellis-Iversen J, Ridley A, Morris V, Sowa A, Harris J, Atterbury R, Sparks N, Allen V (2012) Persistent environmental reservoirs on farm as risk factors for *Campylobacter* in commercial poultry. Epidemiology and Infection 140:916–924

El-Nawawi FA, Tawfik MA, Shaapan RM (2008) Methods for inactivation of *Toxoplasma gondii* cysts in meat and tissues of experimentally infected sheep. Foodborne Pathogens and Disease 5(5):687–690

Enriquez CE, Hurst CJ, Gerba CP (1995) Survival of the enteric adenoviruses 40 and 41 in tap, sea and waste water. Water Research 29(11):2548–2553

Enriquez R, Frosner GG, Hochstein-Mintzel V, Riedemann S, Reinhardt G (1992) Accumulation and persistence of hepatitis A virus in mussels. Journal of Medical Virology 37(3):174–179

ESR (2010) *Bacillus cereus*. Ministry for Primary Industries, New Zealand.
http://www.foodsafety.govt.nz/elibrary/industry/Bacillus_Cereus-Spore_Forming.pdf. Accessed 16 August 2012

ESR (2010) *Toxoplasma gondii*. Ministry for Primary Industries, New Zealand.
<http://www.foodsafety.govt.nz/science-risk/hazard-data-sheets/pathogen-data-sheets.htm>. Accessed 16 August 2012

ESR (2001) Hepatitis A virus. Ministry for Primary Industries, New Zealand.
<http://www.foodsafety.govt.nz/science-risk/hazard-data-sheets/pathogen-data-sheets.htm>. Accessed 16 August 2012

Evengård B, Petersson K, Engman ML, Wiklund S, Ivarsson SA, Tear-Fahnehjelm K, Forsgren M, Gilbert R, Malm G (2001) Low incidence of toxoplasma infection during pregnancy and in newborns in Sweden. Epidemiology and Infection 127(1):121–127

Evenson ML, Hinds MW, Bernstein RS, Bergdoll MS (1988) Estimation of human dose of staphylococcal enterotoxin A from a large outbreak of staphylococcal food poisoning involving chocolate milk. International Journal of Food Microbiology 7:311–316

Farber JM, Coates F, Daley E (1992) Minimum water activity requirements for the growth of *Listeria monocytogenes*. Letters in Applied Microbiology 15:103–105

- FDA (2012) Bad bug book: Foodborne pathogenic microorganisms and natural toxins handbook, 2nd ed. US Food and Drug Administration, Silver Spring.
<https://www.fda.gov/Food/FoodborneIllnessContaminants/CausesOfIllnessBadBugBook/ucm2006773.htm>. Accessed 30 June 2017
- FDA (2011) Environmental assessment: Factors potentially contributing to the contamination of fresh whole cantaloupe implicated in a multi-state outbreak of listeriosis.
<http://www.fda.gov/Food/RecallsOutbreaksEmergencies/Outbreaks/ucm276247.htm>. Accessed 8 May 2013
- FDA (2010) Public health agencies warn of outbreaks related to drinking raw milk - Latest outbreak of campylobacteriosis in Midwest is linked to unpasteurized product. US Food and Drug Administration, Silver Spring.
<http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm206311.htm>. Accessed 9 September 2010
- FDA/USDA/CDC (2003) Quantitative assessment of relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods. US Food and Drug Administration, Silver Spring
- Federal Court of Australia (2003) Dowdell v Knispel Fruit Juices Pty Ltd FCA 851.
<http://www.austlii.edu.au/au/cases/cth/FCA/2003/851.html>. Accessed 11 August 2010
- Fegan N, Vanderlinde P, Higgs G, Desmarchelier P (2005) A study of the prevalence and enumeration of *Salmonella enterica* in cattle and on carcasses during processing. Journal of Food Protection 68(6):1147–1153
- Fermanian C, Lapeyre C, Fremy J, Claisse M (1997) Diarrhoeal toxin production at low temperatures by selected strains of *Bacillus cereus*. Journal of Dairy Research 64:551–559
- Fernandez H, Vergara M, Tapia F (1985) Desiccation resistance in thermotolerant *Campylobacter* species. Infection 13(4):197–197
- Ferreccio C, Prado V, Ojeda A, Cayyazo M, Abrego P, Guers L, Levine MM (1991) Epidemiologic patterns of acute diarrhea and endemic *Shigella* infection in children in a poor periurban setting in Santiago, Chile. American Journal of Epidemiology 134(6):614–627
- Feustel SM, Meissner M, Lisenfeld O (2012) *Toxoplasma gondii* and the blood-brain barrier. Virulence 3(2):182–192
- Figueroa G, Navarrete P, Caro M, Troncoso M, Faundez G (2002) Carriage of enterotoxigenic *Staphylococcus aureus* in food handlers. Revista Medica De Chile 130(8):859–864
- Finlay WJJ, Logan NA, Sutherland AD (2002) *Bacillus cereus* toxin production in cooked rice. Food Microbiology 19:431–439
- Finlay WJJ, Logan NA, Sutherland AD (2000) *Bacillus cereus* produces most emetic toxin at lower temperatures. Letters in Applied Microbiology 31:385–389
- Finlay WJJ, Logan NA, Sutherland AD (1999) Semiautomated metabolic staining assay for *Bacillus cereus* emetic toxin. Applied and Environmental Microbiology 65:1811–1812

Forbes KJ, Gormley FJ, Dallas JF, Labovitiadi O, MacRae M, Owen RJ, Richardson R, Strachan NJC, Cowden JM, Ogden ID, McGuigan CC (2009) *Campylobacter* immunity and coinfection following a large outbreak in a farming community. *Journal of Clinical Microbiology* 47(1):111–116

Forsythe ST (2000) The Microbiology of Safe Food. Blackwell Science, Oxford

Frank C, Walter J, Muehlen M, Jansen A, van Treeck U, Hauri AM, Zoellner I, Rakha M, Hoehne M, Hamouda O, Schreier E, Stark K (2007) Major outbreak of hepatitis A associated with orange juice among tourists, Egypt, 2004. *Emerging Infectious Diseases* 13(1):156–158

Fremaux B, Prigent-Combaret C, Vernozy-Rozand C (2008) Long-term survival of Shiga toxin-producing *Escherichia coli* in cattle effluents and environment: An updated review. *Veterinary Microbiology* 132:1–18

Frenck R, Bernstein DI, Xia M, Huang P, Zhou W, Parker S, Dickey M, McNeal M, Jiang X (2012) Predicting susceptibility to norovirus GII.4 by use of a challenge model involving humans. *Journal of Infectious Diseases* 206:1386–1393

Frenkel JK, Ruiz A, Chinchilla M (1975) Soil survival of toxoplasma oocysts in Kansas and Costa Rica. *American Journal of Tropical Medicine and Hygiene* 24(3):439–443

Fricker M, Misselhausser U, Busch U, Scheres S, Ehling-Schulz M (2007) Diagnostic real time PCR assays for the detection of emetic food-borne *Bacillus cereus* in foods and recent food-borne outbreaks. *Applied Environmental Microbiology* 73:1892–1898

FSA (2009) A UK survey of *Campylobacter* and *Salmonella* contamination of fresh chicken at retail sale. Food Standards Agency, London.
<http://www.food.gov.uk/science/surveillance/fsisbranch2009/fsis0409>. Accessed 12 February 2011

FSANZ (2010) Baseline survey on the prevalence and concentration of *Salmonella* and *Campylobacter* in chicken meat on-farm and at primary processing. Food Standards Australia New Zealand, Canberra.
<http://www.foodstandards.gov.au/publications/documents/Poultry%20survey%20rept%20March%202010.pdf>. Accessed 31 May 2013

FSANZ (2009) Microbiological risk assessment of raw cow milk. Food Standards Australia New Zealand, Canberra.
<http://www.foodstandards.gov.au/code/proposals/documents/P1007%20PPPS%20for%20raw%20milk%20AR%20SD1%20Cow%20milk%20Risk%20Assessment.pdf>. Accessed 31 May 2013

FSANZ (2009) Risk assessment of eggs and egg products. Food Standards Australia New Zealand, Canberra.
<http://www.foodstandards.gov.au/code/proposals/documents/P301%20Eggs%20PPPS%20DAR%20SD1%20Risk%20Assessment.pdf>. Accessed 31 May 2013

Gains MJ, LeBlanc AC (2007) Prion protein and prion disease: The good and the bad. *Canadian Journal of Neurological Sciences* 34:126–145

Gan E, Baird FJ, Coloe PJ, Smooker PM (2011) Phenotypic and molecular characterization of *Salmonella enterica* serovar Sofia, an avirulent species in Australian poultry. *Microbiology* 157:1056–1065

- Garcia-Fulgueiras A, Sanchez S, Guillen JJ, Marsilla B, Aladuena A, Navarro C (2001) A large outbreak of *Shigella sonnei* gastroenteritis associated with consumption of fresh pasteurised milk cheese. European Journal of Epidemiology 17(6):533–538
- Gardner TJ, Fitzgerald C, Xavier C, Klein R, Pruckler J, Stroika S, McLaughlin JB (2011) Outbreak of campylobacteriosis associated with consumption of raw peas. Clinical Infectious Diseases 53(1):26–32
- Gaynor K, Park SY, Kanenaka R, Colindres R, Mintz E, Ram PK, Kitsutani P, Nakata M, Wedel S, Boxrud D, Jennings D, Yoshida H, Tosaka N, He H, Ching-Lee M, Effler PV (2009) International foodborne outbreak of *Shigella sonnei* infection in airline passengers. Epidemiology and Infection 137:335–341
- Gaze JE (1985) The effect of oil on the heat resistance of *Staphylococcus aureus*. Food Microbiology 2:277–283
- Ghelardi E, Celandroni F, Salvetti S (2002) Identification and characterization of toxigenic *Bacillus cereus* isolates responsible for two food poisoning outbreaks. FEMS Microbiology Letters 208:129–134
- Ghosh M, Wahi S, Kumar M, Ganguli A (2007) Prevalence of enterotoxigenic *Staphylococcus aureus* and *Shigella* spp. in some raw street vended Indian foods. International Journal of Environmental Health Research 17(2):151–156
- Gibbs RA, Nanyonjo R, Pingault NM, Combs BG, Mazzucchelli T, Armstrong P, Tarling G, Dowse GK (2013) An outbreak of *Cyclospora* infection on a cruise ship. Epidemiology and Infection 141:508–516
- Girard M, Ngazoa S, Mattison K, Jean J (2010) Attachment of noroviruses to stainless steel and their inactivation, using household disinfectants. Journal of Food Protection 73(2):400–404
- Gomez-Marin JE, de la Torre A, Angel-Muller E, Rubio J, Arenas J, Osorio E, Nunez L, Pinzon L, Mendez-Cordoba LC, Bustos A, de la Hoz I, Silva P, Beltran M, Chacon L, Marrugo M, Manjarres C, Baquero H, Lora F, Torres E, Zuluaga OE, Estrada M, Moscote L, Silva MT, Rivera R, Molina A, Najera S, Sanabria A, Ramirez ML, Alarcon C, Restrepo N, Falla A, Rodriguez T, Castano G (2011) First Colombian multicentric newborn screening for congenital toxoplasmosis. PLoS Neglected Tropical Diseases 5(5):e1195
- Gough KC, Maddison BC (2010) Prion transmission: Prion excretion and occurrence in the environment. Prion 4(4):275–282
- Gould LH, Demma L, Jones TF, Hurd S, Vugia DJ, Smith K, Shiferaw B, Segler S, Palmer A, Zansky S, Griffin PM (2009) Hemolytic uremic syndrome and death in persons with *Escherichia coli* O157:H7 infection, Foodborne Diseases Active Surveillance Network Sites, 2000–2006. Clinical Infectious Diseases 49:1480–1485
- Government of Canada (2009) Report of the independent investigator into the 2008 listeriosis outbreak. www.cpha.ca/uploads/history/achievements/09-lirs-rpt_e.pdf. Accessed 8 May 2013
- Granum PE (2007) *Bacillus cereus*. Ch 20 In: Doyle MP, Beuchat LR (eds) Food microbiology: Fundamentals and frontiers. 3rd ed, ASM Press, Washington D.C., p. 445–455
- Green KY (2013) *Caliciviridae*: The noroviruses. Ch 20 In: Knipe DM, Howley PM (eds) Fields virology. 6th ed, Lippincott Williams and Wilkins, Philadelphia, p. 582–608

- Greig JD, Ravel A (2009) Analysis of foodborne outbreak data reported internationally for source attribution. *International Journal of Food Microbiology* 130:77–87
- Guillet C, Join-Lambert O, Le MA, Leclercq A, Mechai F, Mamzer-Brunel MF, Bielecka MK, Scotti M, Disson O, Berche P, Vazquez-Boland J, Lortholary O, Lecuit M (2010) Human listeriosis caused by *Listeria ivanovii*. *Emerging Infectious Diseases* 16(1):136–138
- Guillois-Becel Y, Couturier E, le Saux JC, Roque-Afonso AM, le Guyader FS, le Goas A, Pernes J, le Bechec S, Briand A, Robert C, Dussaix E, Pommeuy M, Vaillant V (2009) An oyster-associated hepatitis A outbreak in France in 2007. *Eurosurveillance* 14(10):19144
- Guinebretière M, Velge P, Cuvert O, Carlin F, Debuyser M, Nuuyen-The C (2010) Ability of *Bacillus cereus* group strains to cause food poisoning varies according to phylogenetic affiliations (groups I–VII) rather than species affiliation. *Journal of Clinical Microbiology* 48(9):3388–3391
- Gurtler M, Alter T, Kasimir S, Fehlhaber K (2005) The importance of *Campylobacter coli* in human campylobacteriosis: Prevalence and genetic characterization. *Epidemiology and Infection* 133:1081–1087
- Gyles CL (2007) Shiga toxin-producing *Escherichia coli*: An overview. *Journal of Animal Science* 85(E Suppl.):E45–E62
- Ha S, Kim K, Bahk G, Park S, Bae D, Shin Y, Park S, Choi J (2004) The inhibitory effect of propionic acid on the growth response of *Salmonella typhimurium*. *Food Science and Biotechnology* 13(4):504–507
- Haas CN, Thayyar-Madabusi A, Rose JB, Gerba CP (2000) Development of a dose-response relationship for *Escherichia coli* O157:H7. *International Journal of Food Microbiology* 56(2-3):153–159
- Haley NJ, Mathiason CK, Carver S, Zabel M, Telling GC, Hoover EA (2011) Detection of chronic wasting disease prions in salivary, urinary, and intestinal tissues of deer: Potential mechanisms of prion shedding and transmission. *Journal of Virology* 85(13):6309–6318
- Hall RL, Jones JL, Hurd S, Smith G, Mahon BE, Herwaldt BL (2012) Population-based active surveillance for *Cyclospora* infection - United States, Foodborne Diseases Active Surveillance Network (FoodNet), 1997-2009. *Clinical Infectious Diseases* 54(Suppl 5):S411–S417
- Hall G, Kirk MD, Becker N, Gregory JE, Unicomb L, Millard G, Stafford R, Lalor K (2005) Estimating foodborne gastroenteritis, Australia. *Emerging Infectious Diseases* 11(8):1257–1264
- Halperin T, Vennema H, Koopmans M, Bar-Gal GK, Kayouf R, Sela T, Ambar R, Klement E (2008) No association between histo-blood group antigens and susceptibility to clinical infections with genogroup II norovirus. *Journal of Infectious Diseases* 197:63–65
- Hanes D (2003) Nontyphoid *Salmonella*. Ch 9 In: Miliotis MD, Bier JW (eds) International handbook of foodborne pathogens. Marcel Dekker, New York, p. 137–149
- Hanna JN, Hills SL, Humphreys JL (2004) Impact of hepatitis A vaccination of Indigenous children on notifications of hepatitis A in north Queensland. *Medical Journal of Australia* 181(9):482–485

Harman JL, Silva CJ (2009) Bovine spongiform encephalopathy. Journal of the American Veterinary Medical Association 234(1):59–72

Harris JP, Edmunds WJ, Pebody R, Brown DW, Lopman BA (2008) Deaths from norovirus among the elderly, England and Wales. Emerging Infectious Diseases 14(10):1546–1552

Hassan Ali N, Farooqui A, Khan A, Yahya Khan A, Kazmi SU (2010) Microbial contamination of raw meat and its environment in retail shops in Karachi, Pakistan. Journal of Infection in Developing Countries 4(6):382–388

Hatakka M, Bjorkroth KJ, Asplund K, Maki-Petays N, Korkeala HJ (2000) Genotypes and enterotoxicity of *Staphylococcus aureus* isolated from the hands and nasal cavities of flight-catering employees. Journal of Food Protection 63(11):1487–1491

Havelaar AH, Van Pelt W, Ang CW (2009) Immunity to *Campylobacter*: Its role in risk assessment and epidemiology. Critical Reviews in Microbiology 35(1):1–22

Hazeleger WC, Wouters JA, Rombouts FM, Abee T (1998) Physiological activity of *Campylobacter jejuni* far below the minimal growth temperature. Applied and Environmental Microbiology 64(10):3917–3922

Hernandez F, Monge R, Jimenez C, Taylor L (1997) Rotavirus and hepatitis A virus in market lettuce (*Lactuca sativa*) in Costa Rica. International Journal of Food Microbiology 37(2-3):221–223

Herwaldt BL (2000) *Cyclospora cayetanensis*: A review, focusing on the outbreaks of cyclosporiasis in the 1990s. Clinical Infectious Diseases 31:1040–1057

Herwaldt BL, Ackers ML, Cyclospora Working Group (1997) An outbreak in 1996 of cyclosporiasis associated with imported raspberries. New England Journal of Medicine 336:1548–1556

Hill D, Dubey JP (2002) *Toxoplasma gondii*: Transmission, diagnosis and prevention. Clinical Microbiology and Infection 8(10):634–640

Hill DE, Sreekumar C, Jones J, Dubey JP (2007) *Toxoplasma gondii*. Ch 12 In: Simjee S (ed) Foodborne diseases. Humana Press, Totowa, p. 337–353

Ho AY, Lopez AS, Eberhart MG, Levenson R, Finkel BS, da Silva AJ, Roberts JM, Orlandi PAJ, Johnson CC, Herwaldt BL (2002) Outbreak of cyclosporiasis associated with imported raspberries, Philadelphia, Pennsylvania, 2000. Emerging Infectious Diseases 8(8):783–788

Hoffmann C, Eiden M, Kaatz M, Keller M, Ziegler U, Rogers R, Hills B, Balkema-Buschmann A, van Keulen L, Jacobs JG, Groschup MH (2011) BSE infectivity in jejunum, ileum and ileocaecal junction of incubating cattle. Veterinary Research 42:21

Hohmann EL (2001) Nontyphoidal salmonellosis. Clinical Infectious Diseases 32(2):263–269

Hollinger FB, Emerson SU (2007) Hepatitis A Virus. Ch 27 In: Knipe DM, Howley PM (eds) Fields Virology. 5th ed, Lippincott Williams and Wilkins, Philadelphia, p. 911–947

Horn B, Lopez L, Cressey P, Roos R (2015) Annual report concerning foodborne disease in New Zealand 2014. Ministry for Primary Industry, New Zealand.

<http://www.foodsafety.govt.nz/science-risk/human-health-surveillance/foodborne-disease-annual-reports.htm>. Accessed 1 May 2017

Horwood PF, Burgess GW, Oakey HJ (2004) Evidence for non-ribosomal peptide synthetase production of cereulide (the emetic toxin) in *Bacillus cereus*. FEMS Microbiology Letters 236(2):319–324

Howe DK, Sibley LD (1995) *Toxoplasma gondii* comprises three clonal lineages: Correlation of parasite genotype with human disease. Journal of Infectious Diseases 172:1561–1566

Hu L, Kopecko DJ (2003) *Campylobacter* species. Ch 12 In: Miliotis MD, Bier JW (eds) International handbook of foodborne pathogens. Marcel Dekker, New York, p. 181–198

Hueston W, Bryant CM (2005) Transmissible spongiform encephalopathies. Journal of Food Science 70(5):R77–R87

Huppertz C, Durrheim DN, Levi C, Dalton C, Williams D, Clements MS, Kelly PM (2009) Etiology of encephalitis in Australia, 1990–2007. Emerging Infectious Diseases 15(9):1359–1365

Hutin YJF, Pool V, Cramer EH, Nainan OV, Weth J, Williams IT, Goldstein ST, Gensheimer KF, Bell BP, Shapiro CN, Alter MJ, Margolis HS (1999) A multistate, foodborne outbreak of hepatitis A. New England Journal of Medicine 340(8):595–602

Hutson AM, Atmar RL, Graham DY, Estes MK (2002) Norwalk virus infection and disease is associated with ABO histo-blood group type. Journal of Infectious Diseases 185:1335–1337

ICMSF (1996) *Bacillus cereus*. Ch 2 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London, p. 20–35

ICMSF (1996) *Campylobacter*. Ch 4 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London, p. 45–65

ICMSF (1996) Intestinally pathogenic *Escherichia coli*. Ch 7 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London, p. 126–140

ICMSF (1996) Salmonellae. Ch 14 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London, p. 217–264

ICMSF (1996) *Shigella*. Ch 16 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London, p. 280–298

ICMSF (1996) *Staphylococcus aureus*. Ch 17 In: Microorganisms in food 5: Microbiological specifications of food pathogens. Blackie Academic and Professional, London, p. 299–333

IFT (2004) Bacteria associated with foodborne diseases. Food Technology Magazine 58(7):20–21

Imran M, Mahmood S (2011) An overview of human prion diseases. Virology Journal 8:559

Imran M, Mahmood S (2011) An overview of animal prion diseases. Virology Journal 8:493

Innes EA (2010) A brief history and overview of *Toxoplasma gondii*. Zoonoses and Public Health 57(1):1–7

Islam MS, Hossain MA, Khan SI, Khan MNH, Sack RB, Albert MJ, Huq A, Colwell RR (2001) Survival of *Shigella dysenteriae* type 1 on fomites. Journal of Health, Population and Nutrition 19(3):177–182

Issa IA, Mourad FH (2001) Hepatitis A: An updated overview. *Lebanese Medical Journal* 49(2):61–65

Jay LS, Davos D, Dundas M, Frankish E, Lightfoot D (2003) *Salmonella*. Ch 8 In: Hocking AD (ed) *Foodborne microorganisms of public health significance*. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 207–266

Jayamaha JC, Robertson P, Rawlinson WD (2012) Congenital toxoplasmosis over 10 years in a low-incidence population. *Medical Journal of Australia* 196(7):443–444

Jenson I, Moir CJ (2003) *Bacillus cereus* and other *Bacillus* species. Ch 14 In: Hocking AD (ed) *Foodborne microorganisms of public health significance*. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 445–478

Jeong AY, Jeong HS, Lee JS, Park YC, Lee SH, Hwang IG, Kim YJ, Kim YJ, Jo MY, Jung S, Kim K, Cheon D (2012) Occurrence of norovirus infections in asymptomatic food handlers in South Korea. *Journal of Clinical Microbiology* 51(2):598–600

Jiménez M, Solerl P, Venanzi JD, Cante P, Varela C, Martínez-Navarro F (2005) An outbreak of *Campylobacter jejuni* enteritis in a school of Madrid, Spain. *Eurosurveillance* 10(4):533

Johnson PC, Mathewson JJ, DuPont HL, Greenberg HB (1990) Multiple-challenge study of host susceptibility to Norwalk gastroenteritis in US adults. *Journal of Infectious Diseases* 161(1):18–21

Johnson JL, Doyle MP, Cassens RG, Schoeni JL (1988) Fate of *Listeria monocytogenes* in tissue of experimentally infected cattle and in hard salami. *Applied and Environmental Microbiology* 54(2):497–501

Johnson WM, Lior H (1988) A new heat-labile cytolethal distending toxin (CLDT) produced by *Campylobacter* spp. *Microbial Pathogenesis* 4(2):115–126

Jones JL, Dubey JP (2012) Foodborne toxoplasmosis. *Clinical Infectious Diseases* 55(6):845–851

Jones JL, Dubey JP (2010) Waterborne toxoplasmosis - Recent developments. *Experimental Parasitology* 124:10–25

Jones JL, Dargelas V, Roberts J, Press C, Remington JS, Montoya JG (2009) Risk factors for *Toxoplasma gondii* infection in the United States. *Clinical Infectious Diseases* 49(6):878–884

Jones BD (2005) *Salmonella* invasion gene regulation: A story of environmental awareness. *The Journal of Microbiology* 43(special issue No. S):110–117

Jones J, Lopez A, Wilson M (2003) Congenital toxoplasmosis. *American Family Physician* 67(10):2131–2138

Kaminski RW, Oaks EV (2009) Inactivated and subunit vaccines to prevent shigellosis. *Expert Review of Vaccines* 8(12):1693–1704

Karst SM (2010) Pathogenesis of noroviruses, emerging RNA viruses. *Viruses* 2:748–781

Kaski D, Mead S, Hyare H, Cooper S, Jampana R, Overell J, Knight R, Collinge J, Rudge P (2009) Variant CJD in an individual heterozygous for *PRNP* codon 129. *Lancet* 374:2128

KDHE (2007) Outbreaks of *Campylobacter jejuni* infections associated with consumption of cheese made from raw milk, Western Kansas, 2007. Kansas Department of Health and Environment, Topeka.

http://www.kdheks.gov/epi/download/Western_KS_OCT07_Campylobacter.pdf. Accessed 8 September 2010

Kennedy J, Blair IS, McDowell DA, Bolton DJ (2005) An investigation of the thermal inactivation of *Staphylococcus aureus* and the potential for increased thermotolerance as a result of chilled storage. *Journal of Applied Bacteriology* 99:1229–1235

Khambaty FM, Bennett RW, Shah DB (1994) Application of pulsed-field gel electrophoresis to the epidemiological characterization of *Staphylococcus intermedius* implicated in a food-related outbreak. *Epidemiology and Infection* 113:75–81

Kimura AC, Johnson K, Palumbo MS, Hopkins J, Boase JC, Reporter R, Goldoft M, Stefonek KR, Farrar JA, Van Gilder TJ, Vugia DJ (2004) Multistate shigellosis outbreak and commercially prepared food, United States. *Emerging Infectious Diseases* 10(6):1147–1149

Kirk M, Glass K, Ford L, Brown K, Hall G (2014) Foodborne illness in Australia: Annual incidence circa 2010. Australian Government Department of Health, Canberra

Kirk M, Waddell R, Dalton C, Creaser A, Rose N (1997) A prolonged outbreak of *Campylobacter* infection at a training facility. *Communicable Diseases Intelligence* 21(5):57–61

Kitai S, Shimizu A, Kawano J, Sato E, Nakano C, Kitagawa H, Fujio K, Matsumura K, Yasuda R, Inamoto T (2005) Prevalence and characterization of *Staphylococcus aureus* and enterotoxigenic *Staphylococcus aureus* in retail raw chicken meat throughout Japan. *The Journal of Veterinary Medical Science* 67(3):269–274

Koff RS (1998) Hepatitis A. *Lancet* 341:1643–1649

Konold T, Bone GE, Clifford D, Chaplin MJ, Cawthraw S, Stack MJ, Simmons MM (2012) Experimental H-type and L-type bovine spongiform encephalopathy in cattle: Observation of two clinical syndromes and diagnostic challenges. *BMC Veterinary Research* 8:22

Koopmans M, Duizer E (2004) Foodborne viruses: An emerging problem. *International Journal of Food Microbiology* 90:23–41

Kothary MH, Babu US (2001) Infective dose of foodborne pathogens in volunteers: A review. *Journal of Food Safety* 21:49–73

Kovacs GG, Budka H (2008) Prion diseases: From protein to cell pathology. *American Journal of Pathology* 172(3):555–565

Kramer JM, Gilbert RJ (1989) *Bacillus cereus* and other *Bacillus* species. Ch 2 In: Doyle MP (ed) *Foodborne bacterial pathogens*. Marcel Dekker, New York, p. 21–70

Kuhn M, Goebel W (2007) Molecular virulence determinants of *Listeria monocytogenes*. Ch 5 In: Ryser ET, Marth EH (eds) *Listeria, listeriosis and food safety*. 3rd ed, CRC Press Taylor & Francis Group, Boca Raton, p. 111–155

Kweon M (2008) Shigellosis: The current status of vaccine development. *Current Opinion in Infectious Diseases* 21:313–318

Lado B, Yousef AE (2007) Characteristics of *Listeria monocytogenes* important to food processors. Ch 6 In: Ryser ET, Marth EH (eds) *Listeria, listeriosis and food safety*. 3rd ed, CRC Press Taylor & Francis Group, Boca Raton, p. 157–213

Lainson R (2005) The genus *Cyclospora* (Apicomplexa: Eimeriidae), with a description of *Cyclospora schneideri* n.sp. in the snake *Anilius scytale scytale* (Aniliidae) from Amazonian Brazil - A review. *Memórias do Instituto Oswaldo Cruz* 100(2):103–110

Lampel KA, Maurelli AT (2007) *Shigella* species. Ch 15 In: Doyle MP, Beuchat LR (eds) *Food microbiology: Fundamentals and frontiers*. 3rd ed, ASM Press, Washington D.C., p. 323–341

Lampel KA, Maurelli AT (2003) *Shigella* species. Ch 11 In: Miliotis MD, Bier JW (eds) *International handbook of foodborne pathogens*. Marcel Dekker, New York, p. 167–180

Lazaro B, Carcano J, Audicana A, Perales I, Fernandez-Astorga A (1999) Viability and DNA maintenance in non-culturable spiral *Campylobacter jejuni* cells after long-term exposure to low temperatures. *Applied and Environmental Microbiology* 65(10):4677–4681

Lee LA, Ostroff SM, McGee HB, Johnson DR, Downes FP, Cameron DN, Bean NH, Griffin PM (1991) An outbreak of shigellosis at an outdoor music festival. *American Journal of Epidemiology* 133(6):608–615

Le Guyader FS, Atmar RL, Le Pendu J (2012) Transmission of viruses through shellfish: When specific ligands come into play. *Current Opinion in Virology* 2:103–110

Le Loir Y, Baron F, Gautier M (2003) *Staphylococcus aureus* and food poisoning. *Genetics and Molecular Research* 2(1):63–76

Leon J, Moe CL (2006) Role of viruses in foodborne disease. Ch 14 In: Potter M (ed) *Food consumption and disease risk: Consumer-pathogen interactions*. Woodhead Publishing, Cambridge, p. 309–342

Levin RE (2007) *Campylobacter jejuni*: A review of its characteristics, pathogenicity, ecology, distribution, subspecies characterization and molecular methods of detection. *Food Biotechnology* 21:271–347

Levine MM, Kotloff KL, Barry EM, Pasetti MF, Sztein MB (2007) Clinical trials of *Shigella* vaccines: Two steps forward and one step back on a long, hard road. *Nature Reviews Microbiology* 5:540–553

Levine WC, Bennett RW, Choi Y, Henning KJ, Rager JR, Hendricks KA, Hopkins DP, Gunn RA, Griffin PM (1996) Staphylococcal food poisoning caused by imported canned mushrooms. *Journal of Infectious Diseases* 173:1263–1267

Lewis HC, Ethelberg S, Olsen KEP, Nielsen EM, Lisby M, Madsen SB, Boel J, Stafford R, Kirk M, Smith HV, Tikumrum S, Wisetrojana A, Bangtrakulnonth A, Vithayaruangruangsri J, Siriarayaporn P, Ungchusak K, Bishop J, Molbak K (2009) Outbreaks of *Shigella sonnei* infections in Denmark and Australia linked to consumption of imported raw baby corn. *Epidemiology and Infection* 137:326–334

Lianou A, Sofos JN (2007) A review of the incidence and transmission of *Listeria monocytogenes* in ready-to-eat products in retail and food service environments. *Journal of Food Protection* 70(9):2172–2198

Lightfoot D (2003) *Shigella*. Ch 17 In: Hocking AD (ed) Foodborne microorganisms of public health significance. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 543–552

Lim E, Lopez L, Borman A, Cressey P, Pirie R (2012) Annual report concerning foodborne disease in New Zealand 2011. Ministry for Primary Industry, New Zealand.

<http://www.foodsafety.govt.nz/science-risk/human-health-surveillance/foodborne-disease-annual-reports.htm>. Accessed 11 April 2013

Linden R, Martins VR, Prado MAM, Cammarota M, Izquierdo I, Brentani RR (2008) Physiology of the prion protein. *Physiological Reviews* 88:673–728

Lindesmith LC, Donaldson EF, Lobue AD, Cannon JL, Zheng D, Vinje J (2008) Mechanisms of GII.4 norovirus persistence in human populations. *PLoS Medicine* 5(2):e31

Lindesmith L, Moe C, Marionneau S, Ruvoen N, Jiang X, Lindblad L, Stewart P, Le Pendu J, Baric R (2003) Human susceptibility and resistance to Norwalk virus infection. *Nature Medicine* 9(5):548–553

Lindsay DS, Dubey JP (2009) Long-term survival of *Toxoplasma gondii* sporulated oocysts in seawater. *Journal of Parasitology* 95(4):1019–1020

Lindsay DS, Blagburn BL, Dubey JP (2002) Survival of nonsporulated *Toxoplasma gondii* oocysts under refrigerator conditions. *Veterinary Parasitology* 103(4):309–313

Linnan MJ, Mascola L, Lou XD, Goulet V, May S, Salminen C, Hird DW, Yonekura ML, Hayes P, Weaver R, Audurier A, Plikaytis MS, Fannin SL, Kleks A, Broome CV (1988) Epidemic listeriosis associated with Mexican-style cheese. *New England Journal of Medicine* 319(13):823–828

Little CL, Sagoo SK, Gillespie IA, Grant K, McLauchlin J (2009) Prevalance and level of *Listeria monocytogenes* and other *Listeria* species in selected retail ready-to-eat foods in the United Kingdom. *Journal of Food Protection* 72(9):1869–1877

Liu P, Yuen Y, Hsiao H, Jaykus L, Moe C (2010) Effectiveness of liquid soap and hand sanitizer against Norwalk virus on contaminated hands. *Applied and Environmental Microbiology* 76(2):394–399

Lodo KL, Veitch MGK, Green ML (2014) An outbreak of norovirus linked to oysters in Tasmania. *Communicable Diseases Intelligence* 38(1):E16–E19

Lopalco P, Malfait P, Salmaso S, Germinario C, Quarto M, Barbuti S, Cipriani R, Mundo A, Pesole G (1997) A persisting outbreak of hepatitis A in Puglia, Italy, 1996: Epidemiological follow-up. *Eurosurveillance* 2(4):143

Lopez L, Roos R, Cressey P, Horn B (2016) Annual report concerning foodborne disease in New Zealand 2015. Ministry for Primary Industry, New Zealand.
<http://www.foodsafety.govt.nz/science-risk/human-health-surveillance/foodborne-disease-annual-reports.htm>. Accessed 1 May 2017

Lowther JA, Gustar NE, Powell AL, Hartnell RE, Lees DN (2012) Two-year systematic study to assess norovirus contamination in oysters from commercial harvesting areas in the United Kingdom. *Applied and Environmental Microbiology* 78(16):5812–5817

Lowther JA, Henshilwood K, Lees DN (2008) Determination of norovirus contamination in oysters from two commercial harvesting areas over an extended period, using semiquantitative real-time reverse transcription PCR. *Journal of Food Protection* 71(7):1427–1433

Luby S, Jones J, Dowda H, Kramer J, Horan J (1993) A large outbreak of gastroenteritis caused by diarrheal toxin-producing *Bacillus cereus*. *Journal of Infectious Diseases* 167:1452–1455

Maalouf H, Schaeffer J, Parnaudeau S, Le Pendu J, Atmar RL, Crawford SE, le Guyader FS (2011) Strain-dependent norovirus bioaccumulation in oysters. *Applied and Environmental Microbiology* 77(10):3189–3196

Mackay GA, Knight RSG, Ironside JW (2011) The molecular epidemiology of variant CJD. *International Journal of Molecular Epidemiology and Genetics* 2(3):217–227

Made D, Trubner K, Neubert E, Hohne M, Johne R (2013) Detection and typing of norovirus from frozen strawberries involved in a large-scale gastroenteritis outbreak in Germany. *Food and Environmental Virology* 5:162–168

Mannucci PM, Gdovin S, Gringeri A, Colombo M, Mele A, Schinaia N, Ciavarella N, Emerson SU, Purcell RH (1994) Transmission of hepatitis A to patients with hemophilia by factor VIII concentrates treated with organic solvent and detergent to inactivate viruses. *Annals of Internal Medicine* 120(1):1–7

Manso CF, Romalde JL (2013) Detection and characterization of hepatitis A virus and norovirus in mussels from Galicia (NW Spain). *Food and Environmental Virology* 5(2):110–118

Marionneau S, Ruvoen N, Le Moullac-Vaidye B, Clement M, Cailleau-Thomas A, Ruiz-Palacois R, Huang P, Jiang X, Le Pendu J (2002) Norwalk virus binds to histo-blood group antigens present on gastroduodenal epithelial cells of secretor individuals. *Gastroenterology* 122:1967–1977

Martella V, Lorusso E, Decaro N, Elia G, Radogna A, D'Abramo M, Desario C, Cavalli A, Corrente M, Camero M, Germinario CA, Banyai K, Di Martino B, Marsilio F, Carmichael LE, Buonavoglia C (2008) Detection and molecular characterization of a canine norovirus. *Emerging Infectious Diseases* 14(8):1306–1308

Martina M, Cervera C, Esforzado N, Linares L, Torregrosa V, Sanclemente G, Hoyo I, Cofan F, Oppenheimer F, Miro JM, Campistol JM, Moreno A (2011) *Toxoplasma gondii* primary infection in renal transplant recipients. Two case reports and literature review. *Transplant International* 24:e6–e12

Martinez-Urtaza J, Saco M, Hernandez-Cordova G, Lozano A, Garcia-Martin O, Espinosa J (2003) Identification of *Salmonella* serovars isolated from live molluscan shellfish and their significance in the marine environment. *Journal of Food Protection* 66(2):226–232

Mattison K (2011) Norovirus as a foodborne disease hazard. Ch 1 In: Taylor SL (ed) *Advances in Food and Nutrition Research* Volume 62. Academic Press, Waltham, p. 1–39

Mayet A, Andreo V, Bedubourg G, Victorion S, Plantec J, Soullie B, Meynard J, Dedieu J, Polveche P, Migliani R (2011) Food-borne outbreak of norovirus infection in a French military parachuting unit, April 2011. *Eurosurveillance* 16(30):19930

- Mazick A, Ethelberg S, Møller Nielsen E, Mølbak K, Lisby M (2006) An outbreak of *Campylobacter jejuni* associated with consumption of chicken, Copenhagen, 2005. *Eurosurveillance* 11(5):622
- Mbithi JN, Springthorpe VS, Boulet JR, Sattar SA (1992) Survival of hepatitis A virus on human hands and its transfer on contact with animate and inanimate surfaces. *Journal of Clinical Microbiology* 30(4):757–763
- McCaustland KA, Bond WW, Bradley DW, Ebert JW, Maynard JE (1982) Survival of hepatitis A virus in feces after drying and storage for 1 month. *Journal of Clinical Microbiology* 16(5):957–9
- McCullough N, Eisele CW (1951) Experimental human salmonellosis. III. Pathogenicity of strains of *Salmonella* Newport, *Salmonella* Derby, and *Salmonella* Bareilly obtained from spray-dried whole egg. *Journal of Infectious Diseases* 89(3):209–213
- McCullough N, Eisele CW (1951) Experimental human salmonellosis. IV. Pathogenicity of strains of *Salmonella* Pullorum obtained from spray-dried whole egg. *Journal of Infectious Diseases* 89(3):259–265
- McCullough N, Eisele CW (1951) Experimental human salmonellosis. II. Immunity studies following experimental illness with *Salmonella* Meleagridis and *Salmonella* Anatum. *Journal of Immunology* 66(5):595–608
- McCullough N, Eisele CW (1951) Experimental human salmonellosis. I. Pathogenicity of strains of *Salmonella* Meleagridis and *Salmonella* Anatum obtained from spray-dried whole egg. *Journal of Infectious Diseases* 88(3):278–289
- McElroy D, Jaykus L, Foegeding PM (1999) A quantitative risk assessment for *Bacillus cereus* emetic disease associated with the consumption of Chinese-style fried rice. *Journal of Food Safety* 19(3):209–229
- McLeod R, Boyer KM, Lee D, Mui E, Wroblewski K, Garrison T, Noble AG, Withers S, Swisher CN, Heydemann PT, Sautter M, Babiarz J, Rabiah P, Meier P, Grigg ME, Toxoplasmosis Study Group (2012) Prematurity and severity are associated with *Toxoplasma gondii* alleles (NCCCTS, 1981-2009). *Clinical Infectious Diseases* 54(11):1595–1605
- Mead PS, Dunne EF, Graves L, Wiedmann M, Patrick M, Hunter S, Salehi E, Mostashari F, Craig A, Mshar P, Bannerman T, Sauders BD, Hayes P, Dewitt W, Sparling P, Griffin P, Morse D, Slutsker L, Swaminathan B (2006) Nationwide outbreak of listeriosis due to contaminated meat. *Epidemiology and Infection* 134(4):744–751
- Mead PS, Slutsker L, Dietz V, McCaig LF, Bresee JS, Shapiro C, Griffin PM, Tauxe RV (1999) Food-related illness and death in the United States. *Emerging Infectious Diseases* 5(5):607–625
- Medema GJ, Teunis PFM, Havelaar AH, Hass CN (1996) Assessment of the dose-response relationship of *Campylobacter jejuni*. *International Journal of Food Microbiology* 30(1-2):101–111
- Meeroff JC, Schreiber DS, Trier JS, Blacklow NR (1980) Abnormal gastric motor function in viral gastroenteritis. *Annals of Internal Medicine* 92(3):370–373

Mel DM, Terzin AL, Vuksic L (1965) Studies on vaccination against bacillary dysentery. 3. Effective oral immunization against *Shigella flexneri* 2a in a field trial. Bulletin of the World Health Organization 32:647–655

Meldrum RJ, Ellis PW, Mannion PT, Halstead D, Garside J (2010) Prevalence of *Listeria monocytogenes* in ready-to-eat foods sampled from the point of sale in Wales, United Kingdom. Journal of Food Protection 73(8):1515–1518

Mellor GE, Duffy LL, Dykes GA, Fegan N (2010) Relative prevalence of *Salmonella* Sofia on broiler chickens pre- and postprocessing in Australia. Poultry Science 89:1544–1548

Meng J, Schroeder CM (2007) *Escherichia coli*. Ch 1 In: Simjee S (ed) Foodborne Diseases. Humana Press, Totowa, p. 1–25

Meng J, Doyle MP, Zhao T, Zhao S (2007) Enterohemorrhagic *Escherichia coli*. Ch 12 In: Doyle MP, Beuchat LR (eds) Food Microbiology: Fundamentals and frontiers. 3rd ed, ASM Press, Washington D.C., p. 249–269

Mesquita JR, Vaz L, Cerqueira S, Castilho F, Santos R, Monteiro S, Manso CF, Romalde JL, Nascimento MSJ (2011) Norovirus, hepatitis A virus and enterovirus presence in shellfish from high quality harvesting areas in Portugal. Food Microbiology 28:936–941

Millard J, Appleton H, Parry J (1987) Studies on heat inactivation of hepatitis A virus with special reference to shellfish. Journal of Food Protection 98:397–414

Milord F, Lampron-Goulet E, St-Amour M, Levac E, Ramsay D (2012) *Cyclospora cayetanensis*: A description of clinical aspects of an outbreak in Quebec, Canada. Epidemiology and Infection 140:626–632

Molina PM, Parma AE, Sanz ME (2003) Survival in acidic medium of Shiga toxin-producing *Escherichia coli* O157:H7 and non-O157:H7 isolated in Argentina. BMC Microbiology 3:17

Mols M, Pier I, Zwietering MH, Abbe Tj (2009) The impact of oxygen availability on stress survival and radical formation of *Bacillus cereus*. International Journal of Food Microbiology 135(3):303–311

Montoya JG, Liesenfeld O (2004) Toxoplasmosis. Lancet 363(9425):1965–1976

Montville TJ, Matthews KR (2005) Food Microbiology: An Introduction. ASM Press, Washington D.C.

Moon A, Hwang I, Choi WS (2011) Prevalence of noroviruses in oysters in Korea. Food Science and Biotechnology 20(4):1151–1154

Moore J (2001) An introduction to the invertebrates. Cambridge University Press, Cambridge

Mormann S, Dabisch M, Becker B (2010) Effects of technological processes on the tenacity and inactivation of norovirus genegroup II in experimentally contaminated foods. Applied and Environmental Microbiology 76(2):536–545

Mullner P, Collins-Emerson JM, Midwinter AC, Carter P, Spencer SEF, van der Logt P, Hathaway S, French NP (2010) Molecular epidemiology of *Campylobacter jejuni* in a geographically isolated country with a uniquely structured poultry industry. Applied and Environmental Microbiology 76(7):2145–2154

Murayama Y, Yoshioka M, Masujin K, Okada H, Iwamaru Y, Imamura M, Matsuura Y, Fukuda S, Onoe S, Yokoyama T, Mohri S (2010) Sulfated dextrans enhance *in vitro* amplification of bovine spongiform encephalopathy PrP^{Sc} and enable ultrasensitive detection of bovine PrP^{Sc}. PLoS ONE 5(10):e13152

Murphy C, Carroll C, Jordan K (2006) Environmental survival mechanisms of the foodborne pathogen *Campylobacter jejuni*. Journal of Applied Microbiology 100(4):623–632

Nachamkin I (2007) *Campylobacter jejuni*. Ch 11 In: Doyle MP, Beuchat LR (eds) Food microbiology: Fundamentals and frontiers. 3rd ed, ASM Press, Washington D.C., p. 237–248

Nachamkin I, Fischer SH, Yang SH, Benitez O, Cravioto A (1994) Immunoglobin A antibodies directed against *Campylobacter jejuni* flagellin present in breast-milk. Epidemiology and Infection 112:359–565

Naimi TS, Wicklund JH, Olsen SJ, Krause G, Wells JG, Bartkus JM, Boxrud DJ, Sullivan M, Kassenborg H, Besser JM, Mintz ED, Osterholm MT, Hedberg CW (2003) Concurrent outbreaks of *Shigella sonnei* and enterotoxigenic *Escherichia coli* infections associated with parsley: Implications for surveillance and control of foodborne illness. Journal of Food Protection 66(4):535–541

Nakamura M (1962) The survival of *Shigella sonnei* on cotton, glass, wood, paper and metal at various temperatures. Journal of Hygiene 60:35–39

Naranjo M, Denayer S, Botteldoorn N, Delbrassinne L, Veys J, Waegenaere J, Sirtaine N, Driesen RB, Sipido KR, Mahillon J, Dierick K (2011) Sudden death of a young adult associated with *Bacillus cereus* food poisoning. Journal of Clinical Microbiology 49(12):4379–4381

Nema V, Agrawal R, Kamboj DV, Goel AK, Singh L (2007) Isolation and characterization of heat resistant enterotoxigenic *Staphylococcus aureus* from a food poisoning outbreak in Indian subcontinent. International Journal of Food Microbiology 117:29–35

Nicolay N, McDermott R, Kelly M, Gorby M, Prendergast T, Tuite G, Coughlan S, McKeown P, Sayers G (2011) Potential role of asymptomatic kitchen food handlers during a food-borne outbreak of norovirus infection, Dublin, Ireland, March 2009. Eurosurveillance 16(30):19931

Nicolo MS, Gioffre A, Carnazza S, Platania G, Di Silvestro I, Guglielmino SPP (2011) Viable but nonculturable state of foodborne pathogens in grapefruit juice: A study of laboratory. Foodborne Pathogens and Disease 8(1):11–17

Niyogi SK (2005) Shigellosis. The Journal of Microbiology 43(2):133–143

NNDSS (2013) Notifications for all disease by State & Territory and year. National Notifiable Disease Surveillance System, Department of Health and Ageing, Canberra.
<http://www9.health.gov.au/cda/source/cda-index.cfm>. Accessed 17 April 2013

Noda M, Fukuda S, Nishio O (2008) Statistical analysis of attack rate in norovirus foodborne outbreaks. International Journal of Food Microbiology 122:216–220

Noreiga FR, Liao FM, Maneval DR, Ren S, Formal SB, Levine MM (1999) Strategy for cross-protection among *Shigella flexneri* serotypes. Infection and Immunity 67(2):782–788

Normann A, Badur S, Onel D, Kilic A, Sidal M, Larouze B, Massari V, Muller J, Flehmig B (2008) Acute hepatitis A virus infection in Turkey. Journal of Medical Virology 80:785–790

Normanno G, La Salandra G, Dambrosio A, Quaglia NC, Corrente M, Parisi A, Santagada G, Firinu A, Crisetti E, Celano GV (2007) Occurrence, characterization and antimicrobial resistance of enterotoxigenic *Staphylococcus aureus* isolated from meat and dairy products. International Journal of Food Microbiology 115:290–296

Norton DM, Braden CR (2007) Foodborne Listeriosis. Ch 10 In: Ryser ET, Marth EH (eds) *Listeria, listeriosis and food safety*. 3rd ed, CRC Press Taylor & Francis Group, Boca Raton, p. 305–356

NSW Food Authority (2013) Details - Register of offences (prosecutions).
<http://www.foodauthority.nsw.gov.au/news/offences/prosecutions/offences-details-tables-restaurant/>. Accessed 25 January 2013

Nygren BL, Schilling KA, Blanton EM, Silk BJ, Cole DJ, Mintz ED (2012) Foodborne outbreaks of shigellosis in the USA, 1998–2008. Epidemiology and Infection 141(2):233–241

Ochoa TJ, Barletta F, Contreras C, Mercado E (2008) New insights into the epidemiology of enteropathogenic *Escherichia coli* infection. Transactions of the Royal Society of Tropical Medicine and Hygiene 102(9):852–856

OIE (2013) BSE situation in the world and annual incidence rates. World Organisation for Animal Health, Paris. <http://www.oie.int/en/animal-health-in-the-world/bse-specific-data/>. Accessed 24 May 2013

Okabayashi T, Yokota S, Ohkoshi Y, Ohuchi H, Yoshida Y, Kikuchi M, Yano K, Fujii N (2008) Occurrence of norovirus infections unrelated to norovirus outbreaks in an asymptomatic food handler population. Journal of Clinical Microbiology 46(6):1985–1988

Ortega YR, Sanchez R (2010) Update on *Cyclospora cayetanensis*, a food-borne and waterborne parasite. Clinical Microbiology Reviews 23(1):218–234

Ortega YR, Mann A, Torres MP, Cama V (2008) Efficacy of gaseous chlorine dioxide as a sanitizer against *Cryptosporidium parvum*, *Cyclospora cayetanensis*, and *Encephalitozoon intestinalis*. Journal of Food Protection 71(12):2410–2414

Ortega YR (2007) Protozoan parasites. Ch 31 In: Doyle MP, Beuchat LR (eds) Food microbiology: Fundamentals and frontiers. 3rd ed, ASM Press, Washington D.C., p. 663–681

Ortega YR, Liao J (2006) Microwave inactivation of *Cyclospora cayetanensis* sporulation and viability of *Cryptosporidium parvum* oocysts. Journal of Food Protection 69(8):1957–1960

Ortega YR, Roxas CR, Gilman RH, Miller NJ, Cabrera L, Taquiri C, Sterling CR (1997) Isolation of *Cryptosporidium parvum* and *Cyclospora cayetanensis* from vegetables collected in markets of an endemic region in Peru. American Journal of Tropical Medicine and Hygiene 57(6):683–686

Ortega YR, Gilman RH, Sterling CR (1994) A new coccidian parasite (Apicomplexa: Eimeriidae) from humans. Journal of Parasitology 80(4):625–629

Ortega YR, Sterling CR, Gilman RH, Cama VA, Diaz F (1993) Cyclospora species - A new protozoan pathogen of humans. New England Journal of Medicine 328(18):1308–1312

Ozawa K, Oka T, Takeda N, Hansman GS (2007) Norovirus infections in symptomatic and asymptomatic food handlers in Japan. Journal of Clinical Microbiology 45(12):3996–4005

OzFoodNet (2012) Monitoring the incidence and causes of diseases potentially transmitted by food in Australia: Annual report of the OzFoodNet Network, 2010. Communicable Diseases Intelligence 36(3):E213–E241

OzFoodNet (2012) OzFoodNet Quarterly report, 1 July to 30 September 2011. Communicable Diseases Intelligence 36(2):E188–E195

OzFoodNet (2012) OzFoodNet Quarterly report, 1 October to 31 December 2011. Communicable Diseases Intelligence 36(3):E294–E300

OzFoodNet (2010) Monitoring the incidence and causes of diseases potentially transmitted by food in Australia: Annual report of the OzFoodNet Network, 2009. Communicable Diseases Intelligence 34(4):396–426

OzFoodNet (2010) OzFoodNet Quarterly report, 1 January to 31 March 2010. Communicable Diseases Intelligence 34(2):127–136

OzFoodNet (2006) OzFoodNet: Quarterly report, 1 January to 31 March 2006. Communicable Diseases Intelligence 30(2):228–232

Pai CH, Kelly JK, Meyers GL (1986) Experimental infection of infant rabbits with verotoxin-producing *Escherichia coli*. Infection and Immunity 51(1):16–23

Painter J, Slutsker L (2007) Listeriosis in humans. Ch 4 In: Ryser ET, Marth EH (eds) *Listeria, listeriosis and food safety*. 3rd ed, CRC Press Taylor & Francis Group, Boca Raton, p. 85–109

Parameswaran N, Thompson RC, Sundar N, Pan S, Johnson M, Smith NC, Grigg ME (2010) Non-archetypal Type II-like and atypical strains of *Toxoplasma gondii* infecting marsupials of Australia. International Journal for Parasitology 40(6):635–640

Park SF (2002) The physiology of *Campylobacter* species and its relevance to their role as foodborne pathogens. International Journal of Food Microbiology 74(3):177–188

Parrino TA, Schreiber DS, Trier JS, Kapikian AZ, Blacklow NR (1977) Clinical immunity in acute gastroenteritis caused by Norwalk agent. New England Journal of Medicine 292(2):86–89

Paul M, Petersen E, Szczapa J (2001) Prevalence of congenital *Toxoplasma gondii* infection among newborns from the Poznan region of Poland: Validation of a new combined enzyme immunoassay for *Toxoplasma gondii*-specific immunoglobulin A and immunoglobulin M antibodies. Journal of Clinical Microbiology 39(5):1912–1916

Payne DC, Vinje J, Szilagyi PG, Edwards KM, Allen Staat M, Weinberg GA, Hall CB, Chappell J, Bernstein DI, Curns AT, Wikswo M, Shirley SH, Hall AJ, Lopman B, Parashar UD (2013) Norovirus and medically attended gastroenteritis in U.S. children. New England Journal of Medicine 368(12):1121–1130

Pennington H (2010) *Escherichia coli* O157. Lancet 376:1428–1435

Pepe T, Ventrone I, Suffredini E, Ceruso M, Croci L, Anastasio A, Cortesi ML (2012) Norovirus monitoring in bivalve molluscs harvested and commercialized in southern Italy. Journal of Food Protection 75(5):976–981

Pereira KS, Franco RM, Leal DA (2010) Transmission of toxoplasmosis (*Toxoplasma gondii*) by foods. Advances in Food and Nutrition Research 60:1–19

PHE (2009) vCJD abnormal prion protein found in a patient with haemophilia at post mortem. Public Health England, London.

http://www.hpa.org.uk/webw/HPAweb&HPAwebStandard/HPAweb_C/1234859690542?p=1231252394302. Accessed 9 May 2013

Phillips D, Sumner J, Alexander JF, Dutton KM (2001) Microbiological quality of Australian beef. *Journal of Food Protection* 64(5):692–696

Phillips D, Sumner J, Alexander JF, Dutton KM (2001) Microbiological quality of Australian sheep meat. *Journal of Food Protection* 64(5):697–700

Pickett CL, Pesci EC, Cottle DL, Russell G, Erdem AN, Zeytin H (1996) Prevalence of cytolethal distending toxin production in *Campylobacter jejuni* and relatedness of *Campylobacter* sp. *cdtB* genes. *Infection and Immunity* 64(6):2070–2078

Pielaat A, Fricker M, Nauta MJ, van Leusden FM (2005) Biodiversity in *Bacillus cereus*. RIVM report 250912004/2005. National Institute for Public Health and the Environment, The Netherlands

Pigrau C, Bartolome R, Almirante B, Planes AM, Gavalda A (1997) Bacteremia due to *Campylobacter* species: Clinical findings and antimicrobial susceptibility patterns. *Clinical Infectious Diseases* 25(6):1414–1420

Pinchuk IV, Beswick EJ, Reyes VE (2010) Staphylococcal enterotoxins. *Toxins* 2:2177–2197

Podolak R, Enache E, Stone W, Black DG, Elliott PH (2010) Sources and risk factors for contamination, survival, persistence, and heat resistance of *Salmonella* in low-moisture foods. *Journal of Food Protection* 73(10):1919–1936

Pointon A, Sexton M, Dowsett P, Saputra T, Kiermeier A, Lorimer M, Holds G, Arnold G, Davos D, Combs B, Fabiansson S, Raven G, McKenzie H, Chapman A, Sumner J (2008) A baseline survey of the microbiological quality of chicken portions and carcasses at retail in two Australian states (2005 to 2006). *Journal of Food Protection* 71(6):1123–1134

Prusiner SB (1982) Novel proteinaceous infectious particles cause scrapie. *Science* 216:136–144

Raj HD, Bergdoll MS (1969) Effect of enterotoxin B on human volunteers. *Journal of Bacteriology* 98(2):833–834

Rajkowski KT, Bennett RW (2003) *Bacillus cereus*. Ch 3 In: Miliotis MD, Bier JW (eds) International Handbook of Foodborne Pathogens. Marcel Dekker, New York, p. 27–39

Ranallo RT, Fonseka S, Boren TL, Bedford LA, Kaminski RW, Thakkar S, Venkatesan MM (2012) Two live attenuated *Shigella flexneri* 2a strains WRSf2G12 and WRSf2G15: A new combination of gene deletions for 2nd generation live attenuated vaccine candidates. *Vaccine* 30:5159–5171

Rasko DA, Ravel J, Okstad OA, Helgasen E, Cer RZ, Jiang L, Shores KA, Fouts DE, Tourasse NJ, Angiuoli SV, Kolonay J, Nelson WC, Kolsto A, Fraser CM, Read TD (2004) The genome sequence of *Bacillus cereus* ATCC10987 reveals metabolic adaptations and a large plasmid related to *Bacillus anthracis* pXO1. *Nucleic acids Research* 32(3):977–988

Reller ME, Nelson JM, Molbak K, Ackman DM, Schoonmaker-Bopp DJ, Root TP, Mintz ED (2006) A large, multiple-restaurant outbreak of infection with *Shigella flexneri* serotype 2a traced to tomatoes. *Clinical Infectious Diseases* 42:163–169

Reuter M, Mallett A, Pearson BM, van Vliet AHM (2010) Biofilm formation by *Campylobacter jejuni* is increased under aerobic conditions. Applied and Environmental Microbiology 76(7):2122–2128

Richards GP, Watson MA, Meade GK, Hovan GL, Kingsley DH (2012) Resilience of norovirus GII.4 to freezing and thawing: Implications for virus infectivity. Food and Environmental Virology 4:192–197

Richards MS, Rittman M, Gilbert TT, Opal SM, DeBuono BA, Neill RJ, Gemski P (1993) Investigation of a staphylococcal food poisoning outbreak in a centralized school lunch program. Public Health Reports 108(6):765–771

Robesyn E, de Schrijver K, Wollants E, Top G, Verbeeck J, Van Ranst M (2009) An outbreak of hepatitis A associated with the consumption of raw beef. Journal of Clinical Virology 44(3):207–210

Robert Koch Institut (2011) Final presentation and evaluation of epidemiological findings in the EHEC O104:H4 outbreak Germany 2011. Berlin

Robson JMB, Wood RN, Sullivann JJ, Nicolaides NJ, Lewis BR (1995) A probable foodborne outbreak of toxoplasmosis. Communicable Diseases Intelligence 19(517):522

Rockx BHG, Vennema H, Hoebe CJPA, Druizer E, Koopmans MPG (2005) Association of histo-blood group antigens and susceptibility to norovirus infections. Journal of Infectious Diseases 191:749–754

Rocourt J, Buchrieser C (2007) The genus *Listeria* and *Listeria monocytogenes*: Phylogenetic position, taxonomy, and identification. Ch 1 In: Ryser ET, Marth EH (eds) *Listeria, listeriosis and food safety*. 3rd ed, CRC Press Taylor & Francis Group, Boca Raton, p. 1–20

Roels TH, Wickus B, Bostrom HH, Kazmierczak JJ, Nicholson MA, Kurzynski TA, Davis JP (1998) A foodborne outbreak of *Campylobacter jejuni* (O:33) infection associated with tuna salad: A rare strain in an unusual vehicle. Epidemiology and Infection 121:281–287

Rollins DM, Colwell RR (1986) Viable but nonculturable stage of *Campylobacter jejuni* and its role in survival in the natural aquatic environment. Applied and Environmental Microbiology 52(3):531–538

Romalde JL, Area E, Sanchez G, Ribao C, Torrado I, Abad X, Pinto RM, Barja JL, Bosch A (2002) Prevalence of enterovirus and hepatitis A virus in bivalve molluscs from Galicia (NW Spain): Inadequacy of the EU standards of microbiological quality. International Journal of Food Microbiology 74:119–130

Roser D, Nielsen HV, Petersen E, Saugmann-Jensen P, Norgaard-Pedersen B (2010) Congenital toxoplasmosis - A report on the Danish neonatal screening programme 1999–2007. Journal of Inherited Metabolic Disease 33(Suppl 2):S241–S247

Rosso F, Les JT, Agudelo A, Villalobos C, Chaves JA, Tunubala GA, Messa A, Remington JS, Montoya JG (2008) Prevalence of infection with *Toxoplasma gondii* among pregnant women in Cali, Colombia, South America. American Journal of Tropical Medicine and Hygiene 78(3):504–508

Rowan NJ, Anderson JG (1997) Maltodextrin stimulates growth of *Bacillus cereus* and synthesis of diarrheal enterotoxin in infant milk formulae. Applied and Environmental Microbiology 63(3):1182–1184

Rozenberg F, Deback C, Agut H (2011) Herpes simplex encephalitis: From virus to therapy. *Infectious Disorders - Drug Targets* 11:235–250

RTI International (2009) Fresh produce risk ranking tool summary: Identification of priority pathogen-commodity combinations for quantitative microbial risk assessment. http://foodrisk.org/default/assets/File/Produce_RRT_report_RTI.pdf. Accessed 14 November 2012

Ruiz-Palacios GM, Calva JJ, Pickering LK, Lopez-Vidal Y, Volkow P, Pezzarossi H, West MS (1990) Protection of breast fed infants against *Campylobacter* diarrhea by antibodies in human milk. *Journal of Pediatrics* 116(5):707–713

Ryan CA, Nickels MK, Hargrett-Bean NT, Potter ME, Endo T, Mayer L, Langkop CW, Gibson C, McDonald RC, Kenney RT, Puhr ND, McDonnell PJ, Martin RJ, Cohen ML, Blake PA (1987) Massive outbreak of antimicrobial-resistant salmonellosis traced to pasteurized milk. *Journal of the American Medical Association* 258:3269–3274

Rzezutka A, Cook N (2004) Survival of human enteric viruses in the environment and food. *FEMS Microbiology Reviews* 28:441–453

Sahin O, Morishita TY, Zhang Q (2002) *Campylobacter* colonization in poultry: Sources of infection and modes of transmission. *Animal Health Research Reviews* 3(2):95–105

Sakudo A, Ano Y, Onodera T, Nitta K, Shintani H, Ikuta K, Tanaka Y (2011) Fundamentals of prions and their inactivation. *International Journal of Molecular Medicine* 27:483–489

Sampers I, Habib I, De Zutter L, Dumoulin A, Uyttendaele M (2010) Survival of *Campylobacter* spp. in poultry meat preparations subjected to freezing, refrigeration, minor salt concentration, and heat treatment. *International Journal of Food Microbiology* 137:147–153

Sathyaranayanan L, Ortega Y (2006) Effects of temperature and different food matrices on *Cyclospora cayetanensis* oocyst sporulation. *Journal of Parasitology* 92(2):218–222

Sathyaranayanan L, Ortega Y (2004) Effects of pesticides on sporulation of *Cyclospora cayetanensis* and viability of *Cryptosporidium parvum*. *Journal of Food Protection* 67(5):1044–1049

Sattar SA, Tetro J, Bidawid S, Farber J (2000) Foodborne spread of hepatitis A: Recent studies on virus survival, transfer and inactivation. *Canadian Journal of Infectious Diseases* 11(3):159–163

Scallan E, Hoekstra RM, Angulo FJ, Tauxe RV, Widdowson M, Roy SL, Jones JL, Griffin PM (2011) Foodborne illness acquired in the United States - Major pathogens. *Emerging Infectious Diseases* 17(1):7–11

Schlech WF, Lavigne PM, Bortolussi RA, Allen AC, Haldane EV, Wort AJ, Hightower AW, Johnson SE, King SH, Nicholls ES, Broome CV (1983) Epidemic listeriosis - Evidence for transmission by food. *New England Journal of Medicine* 308(4):203–206

Schmid D, Gschiel E, Mann M, Huhulescu S, Ruppitsch W, Boehm G, Pichler J, Lederer I, Hoeger G, Heuberger S, Allerberger F (2007) Outbreak of acute gastroenteritis in an Austrian boarding school, September 2006. *Eurosurveillance* 12(3):5

Schneider KR, Parish ME, Goodrich RM, Cookingham T (2004) Preventing Foodborne Illness: *Bacillus cereus* and *Bacillus anthracis*.

<http://edis.ifas.ufl.edu/pdffiles/FS/FS10300.pdf>. Accessed 21 March 2010

Schoeni JL, Wong ACL (2005) *Bacillus cereus* food poisoning and its toxins. Journal of Food Protection 68(3):636–648

Scholz E, Heinricy U, Flehmig B (1989) Acid stability of hepatitis A virus. Journal of General Virology 70:2481–2485

Schoub BD (2003) Hepatitis. Ch 2 In: Miliotis MD, Bier JW (eds) International Handbook of Foodborne Pathogens. Marcel Dekker, New York, p. 15–25

Seitz SR, Leon JS, Schwab KJ, Lyon GM, Dowd M, McDaniels M, Abdulhafid G, Fernandez ML, Lindesmith LC, Baric RS, Moe CL (2011) Norovirus infectivity in humans and persistence in water. Applied and Environmental Microbiology 77(19):6884–6888

Senesi S, Ghelardi E (2010) Production, secretion and biological activity of *Bacillus cereus* enterotoxins. Toxins 2:1690–1703

Seo KS, Bohach GA (2007) *Staphylococcus aureus*. Ch 22 In: Doyle MP, Beuchat LR (eds) Food microbiology: Fundamentals and frontiers. 3rd ed, ASM Press, Washington D.C., p. 493–518

Seuberlich T, Heim D, Zurbriggen A (2010) Atypical transmissible spongiform encephalopathies in ruminants: A challenge for disease surveillance and control. Journal of Veterinary Diagnostic Investigation 22:823–842

Severino P, Dussurget O, Vencio RZN, Dumas E, Garrido P, Padilla G, Piveteau P, Lemaitre J, Kunst F, Glaser P, Buchrieser C (2007) Comparative transcriptome analysis of *Listeria monocytogenes* strains of the two major lineages reveals differences in virulence, cell wall, and stress response. Applied and Environmental Microbiology 73(19):6078–6088

Sharps CP, Kotwal G, Cannon JL (2012) Human norovirus transfer to stainless steel and small fruits during handling. Journal of Food Protection 75(8):1437–1446

Shachar D, Yaron S (2006) Heat tolerance of *Salmonella enterica* serovars Agona, Enteritidis, and Typhimurium in peanut butter. Journal of Food Protection 69(11):2687–2691

Sherchand JB, Cross JH, Jimba M, Sherchand S, Shrestha MP (1999) Study of *Cyclospora cayetanensis* in health care facilities, sewage water and green leafy vegetables in Nepal. The Southeast Asian Journal of Tropical Medicine and Public Health 30(1):58–63

Shieh YC, Stewart DS, Laird DT (2009) Survival of Hepatitis A virus in spinach during low temperature storage. Journal of Food Protection 72(11):2390–2393

Sibley LD, Ajioka JW (2008) Population structure of *Toxoplasma gondii*: Clonal expansion driven by infrequent recombination and selective sweeps. Annual Review of Microbiology 62:329–351

Sibley LD, Boothroyd JC (1992) Virulent strains of *Toxoplasma gondii* comprise a single clonal lineage. Nature 359:82–85

Silva J, Leite D, Fernandes M, Mena C, Gibbs PA, Teixeira P (2011) *Campylobacter* spp. as a foodborne pathogen: A review. Frontiers in Microbiology 2:200

Sim J, Hood D, Finnie L, Wilson M, Graham C, Brett M, Hudson JA (2002) Series of incidents of *Listeria monocytogenes* non-invasive febrile gastroenteritis involving ready-to-eat meats. Letters in Applied Microbiology 35:409–413

Simmons G, Garbutt C, Hewitt J, Greening G (2007) A New Zealand outbreak of norovirus gastroenteritis linked to the consumption of imported raw Korean oysters. The New Zealand Medical Journal 120(1264):U2773

Simon SS, Sanjeev S (2007) Prevalence of enterotoxigenic *Staphylococcus aureus* in fishery products and fish processing factory workers. Food Control 18(12):1565–1568

Slaten DD, Oropeza R, Werner SB (1992) An outbreak of *Bacillus cereus* food poisoning; are caterers being supervised sufficiently? Public Health Reports 107 (4):477–480

Smith A, McCarthy N, Saldana L, Ihekweazu C, McPhedran K, Adak G, Iturria-Gomara M, Bickler G, O'Moore E (2012) A large foodborne outbreak of norovirus in diners at a restaurant in England between January and February 2009. Epidemiology and Infection 140:1695–1701

Smith HV (2007) *Cyclospora*. Ch 10 In: Simjee S (ed) Foodborne Diseases. Humana Press, Totowa, p. 277–301

Smith HV, Paton CA, Mtambo MMA, Girdwood RWA (1997) Sporulation of *Cyclospora* sp. oocysts. Applied and Environmental Microbiology 63(4):1631–1632

Smith KC, Inns T, Decraene V, Fox A, Allen DJ, Shah A (2017) An outbreak of norovirus GI-6 infection following a wedding in North West England. Epidemiology and Infection 145(1239):1245

Solomon IH, Schepker JA, Harris DA (2009) Prion neurotoxicity: Insights from prion protein mutants. Current Issues in Molecular Biology 12:51–62

Sorvillo FJ, Lieb LE, Waterman SH (1991) Incidence of campylobacteriosis among patients with AIDS in Los Angeles County. Journal of Acquired Immune Deficiency Syndromes 4(6):598–602

Soto C, Satani N (2011) The intricate mechanisms of neurodegeneration in prion diseases. Trends in Molecular Medicine 17(1):14–24

Spears KJ, Roe AJ, Gally DL (2006) A comparison of enteropathogenic and enterohaemorrhagic *Escherichia coli* pathogenesis. FEMS Microbiology Letters 255:187–202

Spiropoulos J, Lockey R, Sallis RE, Terry LA, Thorne L, Holder TM, Beck KE, Simmons MM (2011) Isolation of prion with BSE properties from farmed goat. Emerging Infectious Diseases 17(12):2253–2261

Stephens N, Sault C, Firestone SM, Lightfoot D, Bell C (2007) Large outbreaks of *Salmonella* Typhimurium phage type 135 infections associated with the consumption of products containing raw egg in Tasmania. Communicable Diseases Intelligence 31(1):118–124

Stewart CM (2003) *Staphylococcus aureus* and staphylococcal enterotoxins. Ch 12 In: Hocking AD (ed) Foodborne microorganisms of public health significance. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 359–380

Stopforth JD, Lopes M, Shultz JE, Miksch RR, Samadpour M (2006) Microbiological status of fresh beef cuts. Journal of Food Protection 69(6):1456–1459

Strawn LK, Danyluk MD (2010) Fate of *Escherichia coli* O157:H7 and *Salmonella* spp. on fresh and frozen cut mangoes and papayas. International Journal of Food Microbiology 138:78–84

St Rose SG, Hunter N, Matthews L, Foster JD, Chase-Topping ME, Kruuk LEB, Shaw DJ, Rhind SM, Will RG, Woolhouse MEJ (2006) Comparative evidence for a link between Peyer's patch development and susceptibility to transmissible spongiform encephalopathies. BioMedCentral Infectious Diseases 6(5) doi:10.1186/1471-2334-6-5

Su C, Khan A, Zhou P, Majumdar D, Ajzenberg D, Darde ML, Zhu XQ, Ajioka JW, Rosenthal M, Dubey JP, Sibley LD (2012) Globally diverse *Toxoplasma gondii* isolates comprise six major clades originating from a small number of distinct ancestral lineages. Proceedings of the National Academy of Science 109(15):5844–5849

Sutherland AD, Limond AM (1993) Influence of pH and sugars on the growth and production of diarrhoeagenic toxin by *Bacillus cereus*. Journal of Dairy Research 60:575–580

Sutherland PS, Miles DW, Laboyrie DA (2003) *Listeria monocytogenes*. Ch 13 In: Hocking AD (ed) Foodborne microorganisms of public health significance. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 381–443

Swaminathan B, Gerner-Smidt P (2007) The epidemiology of human listeriosis. Microbes and Infection 9:1236–1243

Talan DA, Staatz D, Staatz A, Goldstein EJC, Singer K, Overturf GD (1989) *Staphylococcus intermedius* in canine gingiva and canine-inflicted human wound infections: Laboratory characterization of a newly recognized zoonotic pathogen. Journal of Clinical Microbiology 27(1):78–81

Talarico F, Roccia E, Nero Id (1997) Prevalence of enterotoxigenic *Staphylococcus* in food-handlers in the province of Catanzaro (Italy). Igiene Moderna 107(2):137–142

Tenter AM (2009) *Toxoplasma gondii* in animals used for human consumption. Memórias do Instituto Oswaldo Cruz 104(2):364–369

Tenter AM, Heckerth AR, Weiss LM (2000) *Toxoplasma gondii*: From animals to humans. International Journal for Parasitology 30(12-13):1217–1258

Teunis PFM, Moe CL, Liu P, Miller SE, Lindesmith L, Baric RS, Le Pendu J, Calderon RL (2008) Norwalk virus: How infectious is it? Journal of Medical Virology 80:1468–1476

Teunis P, Van den Brandhof W, Nauta M, Wagenaar J, Van den Kerkhof H, Van Pelt W (2005) A reconsideration of the *Campylobacter* dose-response relation. Epidemiology and Infection 133(4):583–592

Teunis P, Takumi K, Shinagawa K (2004) Dose response for infection by *Escherichia coli* O157:H7 from outbreak data. Risk Analysis 2:401–407

Thompson RCA, Kutz SJ, Smith A (2009) Parasite zoonoses and wildlife: Emerging issues. International Journal of Environmental Research and Public Health 6:678–693

Todd ECD, Greig JD, Bartleson CA, Michaels BS (2008) Outbreaks where food workers have been implicated in the spread of foodborne disease. Part 4. Infective doses and pathogen carriage. Journal of Food Protection 71(11):2339–2373

- Toh M, Moffitt MC, Henrichsen L, Raftery M, Barrow K, Cox JM, Marquis CP, Neilan BA (2004) Cereulide, the emetic toxin of *Bacillus cereus*, is putatively a product of nonribosomal protein synthesis. *Journal of Applied Microbiology* 97:992–1000
- Torok V, Hodgson K, McLeod C, Tan J, Malhi N, Turnbull A (2018) National survey of foodborne viruses in Australian oysters at production. *Food Microbiology* 69:196–203
- Tram NT, Hoang LMN, Cam PD, Chung PT, Fyfe MW, Issac-Renton JL, Ong CSL (2010) *Cyclospora* spp. in herbs and water samples collected from markets and farms in Hanoi, Vietnam. *Tropical Medicine and International Health* 13(11):1415–1420
- Tribble DR, Baqar S, Scott DA, Oplinger ML, Trespalacios F, Rollins D, Walker RI, Clements JD, Walz S, Gibbs P, Burg EFI, Moran AP, Applebee L, Bourdeois AL (2010) Assessment of the duration of protection in *Campylobacter jejuni* experimental infection in humans. *Infection and Immunity* 78(4):1750–1759
- Tschape H, Kramer MH, Ammon A (2005) International outbreak of *Salmonella* Oranienburg due to German chocolates. *BioMedCentral Infectious Diseases* 5:7
- Tuladhar E, Hazeleger WC, Koopmans MH, Duizer E, Beumer R (2013) Transfer of noroviruses between fingers and fomites and food products. *International Journal of Food Microbiology* 167(3):346–352
- Ueki Y, Shoji M, Suto A, Tanabe T, Okimura Y, Kikuchi Y, Saito N, Sano D, Omura T (2007) Persistence of caliciviruses in artificially contaminated oysters during depuration. *Applied and Environmental Microbiology* 73(17):5698–5701
- Unicomb LE, Fullerton KE, Kirk MD, Stafford RJ (2009) Outbreaks of campylobacteriosis in Australia, 2001 to 2006. *Foodborne Pathogens and Disease* 6(10):1241–1250
- USDA FSIS (2005) Bovine spongiform encephalopathy - "Mad cow disease". USDA Food Safety Inspection Scheme, Washington D.C.
http://www.fsis.usda.gov/Factsheets/Bovine_Spongiform_Encephalopathy_Mad_Cow_Disease/index.asp#10. Accessed 9 August 2012
- Valle E, Guiney DG (2005) Characterization of *Salmonella*-induced cell death in human macrophage-like THP-1 cells. *Infection and Immunity* 73(5):2835–2840
- van Beek J, Ambert-Balay K, Botteldoorn N, Eden J, Fonager J, Hewitt J, Iritani N, Kroneman A, Vennema H, Vinje J, White P, Koopmans M, on behalf of NoroNet (2013) Indications for worldwide increased norovirus activity associated with emergence of a new variant of genotype II.4, late 2012. *Eurosurveillance* 18(1):20345
- van Keulen LJM, Bossers A, van Zijderveld F (2008) TSE pathogenesis in cattle and sheep. *Veterinary Research* 39:24
- Vasconcelos-Santos DV, Machado Azevedo DO, Campos WR, Orefice F, Queiroz-Andrade GM, Carellos EV, Castro Romanelli RM, Januario JN, Resende LM, Martins-Filho OA, de Aguiar Vasconcelos Carneiro AC, Almeida Vitor RW, Caiaffa WT (2009) Congenital toxoplasmosis in southeastern Brazil: Results of early ophthalmologic examination of a large cohort of neonates. *Ophthalmology* 116(11):2199–2205

Vela-Amieva M, Canedo-Solares I, Gutierrez-Castrellon P, Perez-Andrade M, Gonzalez-Contreras C, Ortiz-Cortes J, Ortega-Velazquez V, Galvan-Ramirez ML, Ruiz-Garcia M, Saltigeral-Simentel P, Ordaz-Favila JC, Sanchez C, Correa D (2005) Short report: Neonatal screening pilot study of *Toxoplasma gondii* congenital infection in Mexico. American Journal of Tropical Medicine and Hygiene 72(2):142–144

Verhoef L, Koopmans M, Van Pelt W, Duizer E, Haagsma J, Werber D, Vanasteren L, Havelaar A (2013) The estimated disease burden of norovirus in The Netherlands. Epidemiology and Infection 141:496–506

Vilain S, Luo Y, Hildreth M, Brözel V (2006) Analysis of the life cycle of the soil saprophyte *Bacillus cereus* in liquid soil extract and in soil. Applied and Environmental Microbiology 72:4970–4977

Villena I, Ancelle T, Delmas C, Garcia P, Brezin AP, Thulliez P, Wallon M, King L, Goulet V (2010) Congenital toxoplasmosis in France in 2007: First results from a national surveillance system. Eurosurveillance 15(25):19600

Wallace RB (2003) *Campylobacter*. Ch 10 In: Hocking AD (ed) Foodborne microorganisms of public health significance. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney, p. 311–331

Wallis TS (2006) Host-specificity of *Salmonella* infections in animal species. Ch 3 In: Mastroeni P, Maskell D (eds) *Salmonella* infections: Clinical, immunological and molecular aspects. Cambridge University Press, Cambridge, p. 57–88

Walker M, Zunt JR (2005) Parasitic central nervous system infections in immunocompromised hosts. Clinical Infectious Diseases 40(7):1005–1015

Walpole IR, Hodgen N, Bower C (1991) Congenital toxoplasmosis: A large survey in western Australia. Medical Journal of Australia 154(11):720–724

Wang J, Deng Z (2012) Detection and forecasting of oyster norovirus outbreaks: Recent advances and future perspectives. Marine Environmental Research 80:62–69

Wang H, Feng E, Lin Y, Xiang L, Jin M, Huang L, Su G, Huang C (2002) Construction of a trivalent candidate vaccine against *Shigella* species with DNA recombination. Science in China (Series C) 45(1):10–20

Warren BR, Parish ME, Schneider KR (2006) *Shigella* as a foodborne pathogen and current methods for detection in food. Critical Reviews in Food Science and Nutrition 46:551–567

Wassenaar TM (1997) Toxin production by *Campylobacter* spp. Clinical Microbiology Reviews 10(3):466–476

Weiler N, Leotta GA, Zarate MN, Manfredi E, Alvarez ME, Rivas M (2011) Foodborne outbreak associated with consumption of ultrapasteurized milk in the Republic of Paraguay. Revista Argentina De Microbiologia 43(1):33–36

Werber D, Dreesman J, Feil F, van Treeck U, Fell G, Ethelberg S, Hauri AM, Roggentin P, Prager R, Fisher IST, Behnke SC, Bartelt E, Weise E, Ellis A, Siitonen A, Anderson Y,

Westhoff TH, Vergoulidou M, Loddenkemper C, Schwartz S, Hofmann J, Schneider T, Zidek W, van der Giet M (2009) Chronic norovirus infection in renal transplant recipients. Nephrology Dialysis Transplantation 24:1051–1053

Wheeler C, Vogt TM, Armstrong GL, Vaughan G, Weltman A, Nainan OV, Dato V, Xia G, Waller K, Amon J, Lee TM, Highbaugh-Battle A, Hembree C, Evenson S, Ruta MA, Williams IT, Fiore AE, Bell BP (2005) An outbreak of hepatitis A associated with green onions. *New England Journal of Medicine* 353(9):890–897

WHO (2011) Fact sheet No 125 - Enterohaemorrhagic *Escherichia coli* (EHEC). World Health Organisation, Geneva. <http://www.who.int/mediacentre/factsheets/fs125/en/>. Accessed 18 April 2012

WHO (2000) Hepatitis A. WHO/CDS/CSR/EDC/2000.7. World Health Organization, Geneva. http://www.who.int/csr/disease/hepatitis/HepatitisA_whocdscsredc2000_7.pdf. Accessed 26 November 2009

WHO/FAO (2009) Risk assessment of *Campylobacter* spp. in broiler chickens. World Health Organization and Food and Agriculture Organization of the United Nations, Geneva. http://www.who.int/foodsafety/publications/micro/mra11_12/en/index.html. Accessed 3 May 2013

WHO/FAO (2004) Risk assessment of *Listeria monocytogenes* in ready-to-eat foods. World Health Organization and Food and Agriculture Organization of the United Nations, Geneva. http://www.who.int/foodsafety/publications/micro/mra_listeria/en/index.html. Accessed 20 January 2010

WHO/FAO (2002) Risk assessments of *Salmonella* in eggs and broiler chickens. World Health Organization and Food and Agriculture Organization of the United Nations, Geneva. <http://www.who.int/foodsafety/publications/micro/salmonella/en/index.html>. Accessed 11 February 2010

Whyte P, McGill K, Cowley D, Madden RH, Morand L, Scates P, Carrolle C, O'Leary A, Fanning S, Collins JD, McNamara E, Mooreg JE, Cormicanh M (2004) Occurrence of *Campylobacter* in retail foods in Ireland. *International Journal of Food Microbiology* 95:111–118

Wilson DJ, Gabriel E, Leatherbarrow AJH, Cheesbrough J, Gee S, Bolton E, Fox KA, Hart CA, Diggle PJ, Fearnhead P (2009) Rapid evolution and the importance of recombination to the gastroenteric pathogen *Campylobacter jejuni*. *Molecular Biology and Evolution* 26(2):385–397

Wijnands LM, Pielaat A, Dufrenne JB, Zwietering MH, van Leusden FM (2009) Modelling the number of viable vegetative cells of *Bacillus cereus* passing through the stomach. *Journal of Applied Microbiology* 106:258–267

Wijnands, LM (2008) *Bacillus cereus* associated food borne disease: Quantitative aspects of exposure assessment and hazard characterization. PhD thesis, Wageningen University, The Netherlands

Wijnands LM, Dufrenne JB, Zwietering MH, van Leusden FM (2006) Spores from mesophilic *Bacillus cereus* strains germinate better and grow faster in simulated gastro-intestinal conditions than spores from psychrotrophic strains. *International Journal of Food Microbiology* 112(2):120–128

Wijnands LM, Dufrenne JB, Rombouts FM, in 'T Veld PH, van Leusden FM (2006) Prevalence of potentially pathogenic *Bacillus cereus* in food commodities in the Netherlands. *Journal of Food Protection* 69(11):2587–2594

Will B (2010) Variant CJD: Where has it gone, or has it? Practical Neurology 10:250–251

Wong TL, Carey-Smith GV, Hollis L, Hudson JA (2005) Microbiological survey of prepackaged pate and ham in New Zealand. Letters in Applied Microbiology 41:106–111

Yoon JW, Hovde CJ (2008) All blood, no stool: Enterohemorrhagic *Escherichia coli* O157:H7 infection. Journal of Veterinary Science 9(3):219–231

Young VB, Mansfield LS (2005) *Campylobacter* infection - Clinical context. Ch 1 In: Ketley JM, Konkel ME (eds) *Campylobacter: Molecular and cellular biology*. Horizon Bioscience, Wymondham, p. 1–12

Yu JH, Kim NY, Lee EJ, Jeon IS (2011) Norovirus infections in asymptomatic food handlers in elementary schools without norovirus outbreaks in some regions of Incheon, Korea. Journal of Korean Medical Science 26:734–739

Zaika LL, Phillips JG (2005) Model for the combined effects of temperature, pH and sodium chloride concentration on survival of *Shigella flexneri* strain 5348 under aerobic conditions. International Journal of Food Microbiology 101:179–187

Zaika LL (2002) Effect of organic acids and temperature on survival of *Shigella flexneri* in broth at pH 4. Journal of Food Protection 65(9):1417–1421

Zaika LL (2002) The effect of NaCl on survival of *Shigella flexneri* in broth as affected by temperature and pH. Journal of Food Protection 65:774–779

Zaika LL (2001) The effect of temperature and low pH on survival of *Shigella flexneri* in broth. Journal of Food Protection 64(8):1162–1165

Zainazor T, Hidayah MSN, Chai LC, Tunung R, Ghazali FM, Son R (2010) The scenario of norovirus contamination in food and food handlers. Journal of Microbiology and Biotechnology 20(2):229–237

Zhang J (2011) The nature of the infectious agents: Prion models of resistant species to prion diseases (dog, rabbit and horses). Ch 2 In: Verdier JM (ed) *Prions and prion diseases: New developments*. NOVA Science Publishers, New York, p. 41–48

Zheng D, Ando T, Fankhauser RL, Beard RS, Glass RI, Monroe SS (2006) Norovirus classification and proposed strain nomenclature. Virology 346:312–323

Zhou P, Chen Z, Li H, Zheng H, He S, Lin R, Zhu X (2011) *Toxoplasma gondii* infection in humans in China. Parasites and Vectors 4:165–163

Zigha A, Roesnfield E, Schmitt P, Duport C (2006) Anaerobic cells of *Bacillus cereus* F4430/73 respond to low redox potential by metabolic readjustments and activation of enterotoxin expression. Archives of Microbiology 185(222):233

Zomer TP, de Jong B, Kuhlmann-Berenzon S, Nyren O, Svenungsson B, Hedlund KO, Ancker C, Wahl T, Andersson Y (2010) A foodborne norovirus outbreak at a manufacturing company. Epidemiology and Infection 138:501–506